

# Easy-to-use, feature rich 4-in-1 printer offering outstanding value for your small office.

Packed with features, this easy-to-use 4-in-1 multifunction printer offers print, scan, copy and fax functions and Nuance<sup>™</sup> PaperPort 14 document management software in an affordable device. For added convenience, this printer comes with built-in WiFi<sup>1</sup> that is simple to install with Dell Printer Easy WiFi Installer. It also supports direct printing from most mobile devices<sup>2</sup> — so there's no need to transfer files from your phone or tablet to your PC to print.

Get outstanding value, versatility and reliable performance when you choose the Dell B1165nfw for your small business or workgroup.



Dell<sup>™</sup> B1165nfw Mono Laser Multifunction Printer



For more information on our products, visit dell.com/printers

## Dell B1165nfw Mono Laser Multifunction Printer

## Get outstanding value with efficient features

- Print, scan, copy and fax from one affordable, easy-to-use wireless multifunction printer<sup>1</sup>. WiFi installation is simple and hassle-free with Dell Printer Easy WiFi installer.
- Boost productivity and manage documents easily with Nuance<sup>™</sup> PaperPort 14 (included). PaperPort 14 enhances the capabilities of the Dell B1165nfw by transforming paper documents into high-quality, searchable PDF files for easy archiving, organizing and sharing. PaperPort 14 even places all PDF files on your desktop in clearly marked, color-coded folders so information is always at your fingertips.
- Perform efficiently with fast print speeds of up to 21 pages per minute (ppm) (letter)/20 ppm (A4)<sup>2</sup>.
- Tackle multi-page documents easily with the Automatic Document Feeder (ADF) - scan, copy or fax up to 40 sheets handsfree.
- With a touch of the ID copy button on the control panel, you can copy both sides of an ID card onto a single side of paper. Additional copy features include clone copy (printing multiple image copies of the original source onto a single page), poster copy and N-up copy (copying 2 or 4 pages to one side of paper).
- Protect confidential faxes with PIN access, or save paper by using the fax forward function to send faxes directly to your computer.



Share your printer on a small network with built-in Ethernet and WiFi connectivity



Scan, archive, organize and share searchable PDF files with bundled Nuance PaperPort 14 software.



Convenient printing, direct from mobile devices

mobile devices, such as smartphones and tablets, with:

- Dell Mobile Print app for Android<sup>™</sup> mobile devices<sup>3</sup>

- AirPrint<sup>™</sup> for iOS mobile devices<sup>4</sup>

compliant<sup>6</sup> and ENERGY STAR<sup>®</sup> gualified<sup>7</sup>.

20,000 pages per month<sup>5</sup>.

• Print documents, web content, photos and more, directly from a variety of

• This printer works with Google Cloud Print<sup>TM</sup>, so you can print on the go

Reliable performer, environmentally-conscious design

• Get the performance your business needs with a high duty cycle of up to

• Minimize upkeep and simplify maintenance with just one toner cartridge to replace. This fuser unit is designed to last the life of the printer.

• The Eco-mode button conserves and reduces toner usage by printing in draft mode. Designed with the environment in mind, this printer is RoHS

from your smartphone or computer using Google Cloud Print enabled apps.


Print directly from select mobile devices with **Dell Mobile Print**. AirPrint and Google Cloud Print.



Tilt the control panel to easily access printer functions.

## Dell Printer Easy WiFi Installer

Wireless installation made easy. Enjoy quick and intuitive set up - in 4 clicks!



Insert CD to install Printer Driver and Software. Select 'Setup' (Driver also available on dell.com/support/printers)

Select 'Wireless' as the Connection Method.

Personalize your printer's identity on the network if required, and click 'Next'.



Click 'Finish'. Your printer is ready to print.



Scan this QR code with your phone to view the Dell Printer Easy WiFi Installer video.

- PC must have a wireless card or be connected to a wireless network and have the printer software installed for proper function.
  Measured in accordance with ISO IEC 27434/35 methodology. Actual print speeds will vary with use.
  The printer and the mobile device must be connected to the same wireless network.
  AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later.

- Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This metric provides a comparison of robustness in relation to other Dell printers and multifunction printers. Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances dated January 27, 2003. 5
- For details on energy efficiency of ENERGY STAR qualified products, refer to: www.energystar.gov

## Dell B1165nfw Mono Laser Multifunction Printer



1. Automatic Document Feeder (up to 40 sheets)

- Flatbed scanner 2
- 3. 100-sheet output tray
- 4. Tilt-enabled control panel
- 5. Ethernet port (rear of printer)
- 6. 150-sheet input tray

## **Consumables**

Ship-with toner cartridge capacity<sup>1</sup> 700 pages

Standard capacity toner cartridge<sup>1</sup> 1,500 pages

### Toner recycling

Free and environmentally responsible toner recycling solutions for all private and business needs. For more information, visit dell.com/recycle.

## Warranty and service options

### Standard service

1 Year Limited Hardware Warranty<sup>2</sup> and 1 Year Advanced Exchange Service<sup>3</sup>

### Service upgrade options

2 - 5 years extended Limited Hardware warranty<sup>2</sup> which includes the corresponding 2 - 5 Years Advanced Exchange Service<sup>3</sup>

## **Physical specifications**

Dimensions (W x D x H)	Printer: 15.8" x 11.5" x 11.7" (402 mm x 293 mm x 296 mm); Shipping: 18.5" x 14.2" x 14.4" (469 mm x 360 mm x 365 mm)
Weight	Printer: 17.64 lb (8.0 kg) (with consumables); Shipping: 22.27 lb (10.1 kg)
Operating environment	Temperature: 50°F to 90°F (10°C to 32°C); Relative Humidity: 20% to 80% RH, Non-Condensing; Altitude: ≤ 8,200 ft (2,500 m)
Storage	Packaged: Temperature: -4°F to 104°F (-20°C to 40°C); Relative Humidity: 20 to 95% RH; Altitude: < 34,000 ft (10,300 m)
Acoustics	Printing (simplex mode): < 50 dBA <sup>4</sup> ; Standby mode: < 26 dBA <sup>4</sup>

## **Power specifications**

Voltage	
120 vac models	110 to 127 VAC, 50 Hz / 60 Hz nominal
Power consumption	Standby mode: 30 W/h Power Saver mode: 2.1 W/h
Environmental	ROHS Compliant⁵; ENERGY STAR qualified <sup>6</sup> ; WEEE; ErP Lot 4; ErP Lot 6 Tier 2; REACH; CEL (China); CECP (China);
compliance	CEC (China); MEL (Mexico)

#### Supported languages

English, French, German, Italian, Spanish, Danish, Norwegian, Dutch, Swedish and Simplified Chinese

#### **Product certifications**

Safety certifications	EN 60950-1/IEC 60950-1, EN 55022 (Class B); EN55024; EN61000-3-2 (Class A); EN 61000-3-3; CE Mark (EU), R&TTE Directive (EU); UL 60950-1 / CAN/CSA-C22.2 No. 60950-1-07; ICES-003 (Canada), US CFR Title 47, FCC Part 2 and 15 Class B; FDA/DHHS (21CFR, Chapter 1, Subchapter J); NOM (Mexico); SABS/ICASA (South Africa); GB4943.1, GB9254, GB17625.1, CCC (China)
Other certifications	WHQL (Windows <sup>®</sup> 8, Windows 7, Windows 2003, Windows Vista <sup>®</sup> )

<sup>1.</sup> Black toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions

Back toner yield based on lesting in accordance wint SO/ICC 19796. Helds vary with bage and environmental conductors.
 For a copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or visit dell.com/warranty. For warranty information on other countries, see website: dell.com/servicecontracts and then select the country.
 Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.
 Tested in accordance with ISO 7779 and reported in accordance with ISO 9296. Accoustics - Declared noise emission values of computer and business equipment
 Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances dated January 27, 2003.
 For details on energy efficiency of ENERGY STAR<sup>®</sup> qualified products, refer to: www.energystar.gov

Products	Specifications	B1165nfw Print, Scan, Fax, Copy
Printer specifications	Print speed	Up to 21 ppm <sup>1</sup> (Letter) and 20 ppm <sup>1</sup> (A4) (actual print speed will vary with use)
	First page out time from Ready state	Less than 8.5 seconds
	Print resolution	600 x 600 dpi (up to 1200 dpi Image Quality)
	User interface	LCD: 16 characters x 2 lines
	Printer language	SPL, Host based XPS
	Processor speed/memory (RAM)	433 MHz / 128 MB <sup>2</sup>
	Memory expansion	Not available
	Maximum duty cycle	20,000 pages per month <sup>3</sup>
	Recommended monthly print volume	150-700 pages
Mobile printing		Dell Mobile Print (Android™ OS), AirPrint™ (iOS), Google Cloud Print™
Printer management		Dell Printer Manager, Dell Supplies Ordering Utility, Scan Assistant
Scan	Scan resolution	Optical: 1200 x 1200 dpi (Color - Platen), 600 x 600 dpi (B/W - Platen); 600 x 600 dpi (Color, B/W - ADF); Enhanced: 4800 x 4800 dpi
specifications	Scan utilities/applications	Nuance™ PaperPort v14
	Scanning features	Pull Scan, Scan to PC
	Scan to media (file format)	JPEG, Tiff, BMP, PDF, PNG
	Scan size (max)	Flatbed: 8.2" x 11.7" (208 mm x 297 mm); ADF: 8.2" x 14" (208 mm x 356 mm)
Сору	Copy speed	
pecifications	Single-page document	20 copies per minute (cpm)
	Multi-page document (ADF)	21 cpm (Letter), 20 cpm (A4)
	Copy mode	Photo (600 x 600 dpi), Photo and Text (600 x 300 dpi), Text (600 x 300 dpi)
	Maximum copies	99
	Reduce/enlarge	25 to 400%
	Copy features	Cloning (Platen only), N-up (2 and 4), Autofit, Collate (ADF only), Poster (Platen only), ID Copy (Platen only), Contrast, Background removal
ax	Modem speed/Fax transmission speed	Up to 33.6Kbps
pecifications	Speed dial	Up to 200 locations
	Memory size	7 MB <sup>2</sup>
	Fax features	Broadcast, Delay/Schedule, Priority, Secure, Forward
	Other fax features	Secure fax receive, block junk fax, distinctive ring tone, PC fax send, speed dial
ADF	ADF type	Simplex
	Input/output capacity	Up to 40 sheets (20 lb, 80 g/m²)
	Media size	Width: 5.6" to 8.5" (142 mm to 216 mm); Length: 5.8" to 14" (148 mm to 356 mm)
Common anti-states	Interferen	High speed USB 2.0, Ethernet 10/100 Base TX
Connectivity	Interfaces Wireless	Wireless 802.11 b/g/n
Operating systems	Windows	Microsoft® Windows® 7 (32/64 bit), Windows 2000, Windows XP (32/64 bit), Windows Vista (32/64 bit), Windows 2003 Server (32/64 bit), Windows 2008 Server (32/64 bit),
·	Macintosh	Macintosh OS <sup>®</sup> : 10.5 - 10.8
	Others	Various Linux including Red Hat® enterprise Linux WS, Fedora™, Open SUSE™, Mandriva, Ubuntu, SuSE™, Debian; Novell® NetWare® 5.x, 6.x and later
Paper handling	Standard input sources	150 sheet tray
	Maximum input capacity	150 sheet
	Duplexer	Manual
	Standard output destination	100 sheet bin
	Maximum output capacity	100 sheet
unnorted	Standard tray	
Supported media types	Media types supported	Diaja Thia Cattan Calavad Dra Drintad Daguelad Arabius
nedia types		Plain, Thin, Cotton, Colored, Pre-Printed, Recycled, Archive
nedia types and sizes	Media sizes	A4, Letter, Legal, Executive, Folio, Oficio, ISO B5, JIS B5
	Media Sizes	
	Page layout options	Portrait or Landscape Orientation, Multiple Copies, Multipage Printing (N-up), Poster, Booklet Printing, Watermarks, Collate, Overlay, Print Last Page First, Rotation
	Page layout options	

Measured in accordance with ISO IEC 27434/35 methodology. Speed may vary depending upon system configuration, software application and document complexity.
 MB means 1 million bytes; total accessible capacity varies depending on operating environment.
 Duty cycle is defined as the maximum number of imaged outputs a device could deliver in a month. This metric provides a comparison of robustness in relation to other Dell printers and multifunction printers.
 Black toner yield based on testing in accordance with ISO/IEC 19798. Yields vary with usage and environmental conditions.

©2013 Dell Corporation Limited. Dell, the Dell logo and Dell Toner Management System are registered trademarks or trademarks of Dell Inc. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and names or their products. Dell disclaims proprietary interest in the marks and names of others. Microsoft, Windows and Windows NT are registered trademarks or trademarks or trademarks of Microsoft Corporation. Android and Google Cloud Print are registered trademarks of Google Inc. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. Specifications are subject to change without notice. Dell cannot be responsible for errors and

G13001031 - B1165nfw