



# The Dell B1260dn mono laser printer



## Help boost productivity for small to medium businesses and small workgroups

### Get outstanding performance with the Dell B1260dn mono laser printer

Compact in design, the affordably priced Dell™ B1260dn printer offers outstanding value and performance with its low cost per page, excellent print quality and productivity features. Help improve office productivity with its fast print speed, built-in duplexer, Ethernet networking, and a high duty cycle of up to 20,000 pages per month.

Easy-to-use and maintain, this mono laser printer is built with a fuser unit that is designed to last the life of the printer, so the only part that has to be installed is the single black toner cartridge. The Dell B1260dn supports direct printing from various mobile devices — print directly from Android mobile devices via Dell Mobile Print app<sup>6</sup>, or from an iPad®, iPhone®, iPod touch® to this AirPrint™-enabled printer<sup>1</sup>. You can also print on the go from your Smartphone or computer via compatible Google Cloud Print™ apps.

Get outstanding performance, value and reliability in a compact printer that can help boost office productivity in your organization with the Dell B1260dn mono laser printer.



# Dell B1260dn mono laser printer

## Product benefits

### Enhanced office printing efficiency

Help enhance office efficiency with fast printing, excellent print quality, two-sided printing and Ethernet networking.

- Fast print speeds of up to 29 pages per minute (ppm)<sup>2</sup> (letter)/28 ppm<sup>2</sup> (A4), (actual print speed will vary with use)
- Enjoy professional business quality prints with crisp black text and sharp images, up to 600 x 600 dpi resolution (up to 1200 dpi image quality)
- With built-in Ethernet, the Dell B1260dn can easily be shared with other users within the same network

### Print directly from mobile devices

Experience the convenience of printing directly from your mobile device

- Print directly from Android devices using the Dell Mobile Print app<sup>6</sup>
- Print directly from iPhone®, iPad® and iPod touch® to this AirPrint™-enabled printer<sup>1</sup>
- Works with Google Cloud Print, so you can print on the go from your Smartphone or computer using Google Cloud Print enabled apps

### Reliable and easy to maintain

Get reliable performance with this robust printer that is easy-to-use and maintain.

- Count on reliable performance with its large maximum duty cycle of up to 20,000 pages a month

- Print up to 2,500 pages with the high yield cartridge and up to 1,500 pages with the standard yield cartridge<sup>3</sup>
- Reduce work disruptions and save on maintenance costs with a fuser unit that is designed to last the life of the printer.

### Environmentally conscious

- This Energy Star qualified<sup>9</sup> printer has low energy consumption without compromising on print speeds.
- ECO Mode Button
  - Save toner and paper with one touch of the Eco button. It automatically engages two-sided printing and reduces toner usage by printing in draft mode.
- Reduce, Recycle, Renew
  - Reduce paper usage with automatic two-sided printing.
  - Dell's recycling program will take Dell printers and consumables back; plus our Asset Recovery Services provide value added services to assist the recycling. To find more, visit [dell.com/recycle](http://dell.com/recycle)
  - Renew the planet through Dell's Plant-A-Tree program, which plants trees to help offset CO<sub>2</sub> emissions related to the use of Dell products.

### Outstanding service and warranty

Gain peace of mind with Dell's standard 1-Year Limited Hardware Warranty<sup>4</sup> and 1-Year Next-Business-Day Advanced Exchange Service.<sup>5</sup> Protect your investment even longer with an optional Limited Hardware Warranty extension up to a total of 5 years.<sup>4</sup>

## Order supplies online or through selected partners



Dell B1260dn



Dell B1260dn control panel



Dell B1260dn connectivity



Dell B1260dn high-capacity toner cartridge

## Get the most out of your Dell printer with genuine Dell options and supplies

<b>Toner cartridges</b>	Dell B1260dn black toner cartridge standard capacity: approximately 1,500 pages <sup>3</sup> ; or high-capacity: approximately 2,500 pages <sup>3</sup>
<b>Memory (RAM)</b>	64 MB DDR2 667 MHz
<b>Connectivity</b>	High-speed USB 2.0, Ethernet 10/100 Base TX
<b>Standard warranty and service</b>	1-year Limited Hardware Warranty <sup>4</sup> and 1-year Next Business Day Advanced Exchange Service <sup>5</sup>

# Dell B1260dn mono laser printer



<b>Product description</b>	Affordable single function mono laser printer with fast print speeds and essential productivity features for small to medium businesses and small workgroups.
<b>Printer specifications</b>	
Print speed	Up to 29 pages per minute (ppm) <sup>2</sup> (letter)/28 ppm <sup>2</sup> (A4), (actual print speed will vary with use)
First page out time	From 'Ready' mode: Less than 8.5 seconds; From 'Sleep' mode: Less than 14 seconds
Print resolution	600 x 600 dpi (printer default); 1200 x 1200 dpi max
User interface	Four-button operational panel
Data streams	SPL, PCL 6 (V2.1)
Processor	ARM11 (533 MHz)
Memory (RAM)	64 MB DDR2 667 MHz
Memory expansion	Not available
Maximum duty cycle	Up to 20,000 pages per month
Average monthly usage rate	208 pages per month
<b>Paper handling</b>	
Standard input sources	250-sheet cassette
Additional input capacity	1-sheet multipurpose tray
Maximum input capacity	251 sheets
Duplex unit	Standard two-sided printing
Standard output destination	150-sheet bin
<b>Supported media types, sizes and paper weights</b>	
Media types supported	<i>1-sheet multipurpose tray:</i> plain, thin, thick, thicker, bond, card stock, cotton, colored, pre-printed, recycled, archive, transparency, label, envelope, thick envelope; <i>Standard tray:</i> plain paper, thin, thick, bond, card stock, recycled, archive
250-sheet standard tray	<i>Media size:</i> US letter, US legal, executive, folio, Oficio, ISO B5, JIS B5, A4, A5, A6 <i>Weight:</i> 16 - 43 lb (60 to 163g/m <sup>2</sup> )
Multipurpose tray	<i>Media size:</i> US letter, US legal, Oficio, folio, ISO B5, JIS B5, executive, Monarch envelope, DL envelope, C5 envelope, C6 envelope, No. 10 envelope; A4, A5, A6, postcard 4 x 6 <i>Weight:</i> 16 - 58 lb (60 to 220g/m <sup>2</sup> )
Duplexer	<i>Media sizes:</i> US letter, US legal, Oficio, folio, A4 <i>Media types:</i> Plain paper, thin, thick, recycled <i>Weight:</i> 16 - 28 lb (60 to 120g/m <sup>2</sup> )
Page layout options	Portrait or landscape orientation
Printable area	Within 0.17 inches of all edges of the media
<b>Connectivity</b>	
Standard interfaces	High-speed USB 2.0; Ethernet 10/100 Base TX
Print languages	SPL, PCL6, Host based XPS, XPS driver can be supported by either on Web
Print fonts	HP PCL <sup>®</sup> 6 Emulation: 93 scalable, 1 bitmap font
Operating Systems (OS) support	Microsoft <sup>®</sup> Windows <sup>®</sup> 7 (32/64-bit), Windows <sup>®</sup> 2000/XP (32/64-bit), Windows Vista <sup>®</sup> (32/64-bit), 2003 Windows Server <sup>®</sup> (32/64-bit) / 2008 Windows Server (32/64-bit), Windows <sup>®</sup> 2008R2 (64-bit), RedHat <sup>®</sup> Enterprise Linux <sup>®</sup> WS 4, 5, 6 (32/64-bit), Linux: RedHat <sup>®</sup> Enterprise Linux <sup>®</sup> WS 4, 5, 6 (32/64-bit); Fedora 5, 6, 7, 8, 9, 10, 11, 12, 13 (32/64-bit) 14, 15, SuSE Linux 10.1 (32-bit); OpenSuSE 10.2, 10.3, 11.0, 11.1, 11.2, 11.3, 11.4 (32/64-bit); Mandriva 2007, 2008, 2009, 2009.1, 2010 (32/64-bit); Ubuntu 6.06, 6.10, 7.04, 7.10, 8.04, 8.10, 9.04, 9.10, 10.04, 11.04 (32/64-bit); SuSE Linux Enterprise Desktop 10, 11 (32/64-bit); Debian 4.0, 5.0, 6.0 (32/64-bit); Unix: Sun Solaris 9, 10, (x86, SPARC); HP-UX 11.0, 11i v1, 11i v2, 11i v3 (PA-RISC, Itanium); IBM AIX 5.1, 5.2, 5.3, 5.4; Novell NetWare 5.x,6.x and later (TCP/IP); SAP R/3 4.5B or later (device types); Macintosh version (OS X 10.4 - 10.7)
Network protocol	TCP/IP; IPv4/IPv6 (Transportation:Ipsec, ICMPv6, Printing: Port 9100, LPD, DHCPv6, DNSv6, HTTP, SNMP (v1 v2 v3))
<b>Consumables</b>	
Toner management	Dell Supplies Ordering Utility, intelligently monitors toner status and proactively notifies the user in advance of running out of toner
Ship-with toner cartridge capacity <sup>3</sup>	The printer ships with a toner cartridge (approx 1,000 pages)
Toner cartridge capacity <sup>3</sup>	Standard capacity (approx 1,500 pages) and high capacity (approx 2,500 pages) toner cartridges are available for the B1260dn
Toner recycling	Toner cartridges are recyclable using Dell's recycling program. For details, visit <a href="http://dell.com/recycle">dell.com/recycle</a> .

# Dell B1260dn mono laser printer



## Language and regulatory certifications

Printer firmware and printer driver software (NO Op Panel)	English, Simplified Chinese, Traditional Chinese, French, German, Italian, Spanish, Danish, Swedish, Finnish, Norwegian, Polish, Dutch, Brazilian Portuguese, Iberian Portuguese, Greek, Czech, Turkish, Hungarian, Arabic, Hebrew
User documentation	Softcopy user manual on CD: Simplified Chinese, Czech, Danish, Dutch, English, French, German, Greek, Hungarian, Italian, Norwegian, Polish, Spanish, Swedish, Brazilian Portuguese Product Information Guide in: English, French, Italian, German, Spanish, Brazilian Portuguese, Iberian Portuguese, Danish, Dutch, Finnish, Norwegian, Swedish, Czech, Greek, Polish, Arabic, Hebrew, Hungarian, Turkish, Japanese, Simplified Chinese, Thai, Slovak, Slovenian, Romanian
Safety certifications	IEC/EN60950-1 (International); IEC60825-1 (Laser); CE Mark (EU); GS Mark (Germany); SASO (Saudi Arabia); SABS (South Africa); UL/cUL Listed (UL60950-1 US/Canada); FDA/DHHS (21CFR, Chapter 1, Subchapter J, Class-1 Laser, US); NOM (Mexico); CCC (China); other safety approvals required by individual countries.
EMC certifications	EN55022 Class B; EN61000-3-2; EN 61000-3-3; EN55024; FCC CFR Title 47, Part 15 Class B (USA); ICES-003(Canada); CE (EU countries); GOST (Russia); SABS (South Africa); CCC (China); C-tick (Australia); and other certifications required by individual countries.
Other certifications	Energy Star® v1.2-qualified <sup>9</sup> ; RoHS <sup>10</sup> , ErP Lot 4, ErP Lot 6, WEEE, SAP, WHQL

## Mobile printing

Print directly from Android mobile devices via Dell Mobile Print app<sup>6</sup>, or from an iPad®, iPhone®, iPod touch® to this AirPrint™-enabled printer<sup>1</sup>. You can also print on the go from your Smartphone or computer via compatible Google Cloud Print apps.

## Printer management

Software included	<b>Dell Printer Manager:</b> helps easily customize the printer's settings; <b>Dell Supplies Ordering Utility:</b> intelligently monitors toner status and proactively notifies the user in advance of running out of toner; <b>Firmware Download Utility:</b> effectively manages firmware updates; <b>Lite StatusMonitor:</b> tracks printer status
Embedded server support (EWS)	<b>Support via browser:</b> Microsoft Internet Explorer, 6, 7, 8, 9 and later; Apple Mac OS X Safari 1.0 and later (v4.0 developer beta); Mozilla Firefox 2.x, 3.x, 4.x and 5.x; Google Chrome 9, 10; Opera 9.x and later; <b>Main features:</b> Printer Configuration, Network Setup, Paper Setup, Report, Firmware, Update, EWS Login/Password

## Warranty and service options

Limited Hardware Warranty	2 - 5 Years extended Limited Hardware Warranty <sup>4</sup> which includes the corresponding 2 - 5 Years Next Business Day Advanced Exchange Service <sup>5</sup>
Service options	1 - 5 Years Next Business Day On-Site after Remote Diagnosis Service <sup>7</sup> 1 - 5 Years Dell ProSupport™ available during the term of warranty

## Physical specifications

Dimensions – W x D x H	<i>Printer:</i> 13.7 in. (W) x 13.31 in. (D) x 7.76 in. (H); 348 mm (W) x 338 mm (D) x 197 mm (H) <i>Shipping carton:</i> 18.03 in (W) x 16.65 in (D) x 10.98 in (H); 458 mm (W) x 423 mm (D) x 279 mm (H)
Weight	<i>Printer:</i> 15.87 lbs; 7.2 kg (with toner); 14.33 lbs; 6.5 kg (without toner) <i>Shipping carton:</i> 18.96 lbs; 8.6 kg
Operating environment	<i>Operating:</i> air temperature 10 to 32°C (50 to 90°F), Relative Humidity 20 - 80%, altitude 8,200 ft <i>Storage (unpacked):</i> air temperature 0 to 40°C (32 to 104°F), Relative Humidity 10 - 80% <i>Storage (packaged):</i> air temperature -20 to 40°C (-4 to 104°F), Relative Humidity 20 - 95%, altitude 34,000 ft
Acoustics <sup>8</sup>	<i>Printing (Simplex Mode/Main Tray):</i> Sound pressure less than 50 dBA <i>Standby Mode:</i> Sound Pressure less than 30 dBA (after more than 30 pages printing)
Voltage	100 and 120 vac models: 110 - 127 volts (V) at 50/60 ± 3 hertz (Hz) nominal. 230 vac models: 220 - 240 volts (V) at 50/60 ± 3 hertz (Hz) nominal.
Power consumption	Standby mode less than 45 W: Power saver mode less than 1.2 W: Off less than or equal to 0.5 W, Energy Star® v1.2-qualified <sup>9</sup>

## Contents in box

Starter CD, NOM Tech Sheet, PIG, placemat, power cord, retail warranty card, 1,000 page<sup>3</sup> black ship-with toner

<sup>1</sup> AirPrint-enabled printers work with iPad, iPhone (3GS or later), and iPod touch (3rd generation or later) running iOS 4.2 or later. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint is a trademark of Apple Inc.

<sup>2</sup> Measured in accordance with ISO IEC 27434/35 methodology. Actual print speeds will vary with use.

<sup>3</sup> Tested in accordance with ISO/IEC 19752 testing methodology. Yields vary with usage and environmental conditions

<sup>4</sup> For a copy of Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or visit [www.dell.com/warranty](http://www.dell.com/warranty). For warranty information for other countries, see website: [www.dell.com/servicecontracts](http://www.dell.com/servicecontracts) and then select the country

<sup>5</sup> Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

<sup>6</sup> The printer and the mobile device must be connected to the same wireless network.

<sup>7</sup> Availability and terms of Dell Services vary by region. For more information, visit [www.dell.com/servicesdescriptions](http://www.dell.com/servicesdescriptions)

<sup>8</sup> Sound Pressure: Typical measurements based on ISO 7779

<sup>9</sup> For details on energy efficiency of Energy Star qualified products, refer to: <http://www.energystar.gov>

<sup>10</sup> Meets the requirements of the EU Directive on the Restriction of the use of certain Hazardous Substances (RoHS) dated 27 January 2003