HP LaserJet Enterprise M507 series

Handle business solutions securely, plus help conserve energy with HP EcoSmart toner

Choose an HP LaserJet Enterprise printer designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart black toner. Keep up with the demands of growing business with a printer vou can relv on.⁸

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP Laser Jet Enterprise M507n



HP LaserJet Enterprise M507dn



HP LaserJet Enterprise M507x

The world's most secure printing¹

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

Low costs, low energy use

- Stay productive with reliable cartridges, and help save energy while printing with HP EcoSmart black toner.⁸
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.²
- Enhanced energy savings up to 29% over prior products plus save with Auto-on/Autooff technology.
- This printer fits in tight places to boost performance in almost any workspace.

Your whole fleet. At your control.

- Centralize control of your printing environment with HP Web Jetadmin⁴—and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.⁵

Enhanced productivity keeps business moving

- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.⁷
- Don't wait for documents. Print your first page in as little as 10 seconds from energyefficient sleep mode.

 ¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, with thtp://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/PrintersEnded/Comparity and the printers.
 ² High Yield Back Original Lasser Piet Tomer Carity frages not included; please purchase separately.
 ³ HZ Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
 ⁴ HP Web Istandin is available for download at no additional charge at http://www.hp.com/go/securitymanager.
 ⁵ HP Jerdvantage Security Manager must be purchased separately. To learn more, please wist http://www.hp.com/go/securitymanager.
 ⁶ Wieles soperations are compatible with 2.4 CH2 operations on y.App or software and HP eprint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
 ⁸ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory of defluctort[®] Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, wist hp.com/go/room
 ⁹ An FCC Lass A emissions compliant device meets the less stringent thigheny levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device shou

Product walkaround



Series at a glance







Model	HP LaserJet Enterprise M507n	HP LaserJet Enterprise M507dn	HP LaserJet Enterprise M507x
Product number	1PV86A	1PV87A	1PV88A
Print speed (black) ⁷	Up to 45/43 pages per minute (ppm) (letter/A4) (all models)		
Control panel	2.7-inch (6.9 cm) LCD with keypad		4.3-inch (10.9 cm) touchscreen
Automatic two-sided printing	Manual (driver support provided)		
100-sheet multipurpose tray 1, 550-sheet input tray 2	\checkmark		
Standard 550-sheet paper tray 3	Not av	ailable	√
Optional 550-sheet paper tray	Add up to three		
Optional printer cabinet	Add up to one (all models)		
Input capacity (standard/maximum ⁸)	Up to 650/2,300 sheets		
Hardware Integration Pocket ¹	Not available		\checkmark
Recommended Monthly Page Volume ⁹	2,000 to 7,500 pages (all models)		
Cartridge yield ¹⁰	Black: ~5,000/10,000/20,000 (standard/high-yield/extra-high-yield) (all models)		
Wireless direct printing ¹¹ /NFC touch-to-print ¹²	Optional		Built-in wireless direct printing; optional NFC touch-to-print
Dual-band Wi-Fi® with Bluetooth® Low Energy ⁶	Opti	onal	Built-in

period. ¹⁰ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies. ¹¹ Wireless direct printing is standard on the HP Laserlet Enterprise MSD7x. The MSD7n and MSD7dn models can add wireless direct printing with purchase of the optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Finetwork of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see ho.com/go/businessmobileprinting. ¹² Touch-to-print capability requires purchase of the optional HP Jetdirect 3100w BLE/NFC/Wireless Accessory. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting.

Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. The HP Laser Jet Enterprise M507 n and M507x models include a second-generation HIP. The M507n does not include a HIP.
 An administrator must enable the easy-access USB port before use.
 The HP Laser Jet Enterprise M507x model comes with a 4.3-inch (10.9 cm) touchscreen control panel. The HP Laser Jet Enterprise M507n and M507dn models come with a 2.7-inch (6.9 cm) display with 24-key pad.
 The HP Laser Jet Enterprise M507x model comes with a 4.3-inch (10.9 cm) touchscreen control panel. The HP Laser Jet Enterprise M507n and M507dn models with the addition of the HP Jettirect 3100w BLE/NFC/Wireless Accessory (3JN69A). If selected, you cannot also select the HP Jetdirect 2900mw Print Server (1003 TA).Wireless operations are compatible with 2.4 GHz and 5 GHz operations only. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Bluetooth is a trademark owned by its proprietor and used by HP Inc. under license. Learn more at th_com/go/Inbite[C 24734, excludes first st of test documents. For more information, see hp.com/go/Iprinterclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 Purchase of optional paper trays required to reach maximum input capacity.
 Recommended Monthly Page Volume: HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

period.

Data sheet | HP Laser Jet Enterprise M507 series

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

For carepack availability visit: hp.com/go/cpc:



HP printers have the industry's strongest security¹ because they're always on guard, continually detecting and stopping threats while adapting to new ones. And only HP printers automatically self-heal from attacks, so IT doesn't need to intervene.

Good resource management is good business. Help reduce costs and energy use with an HP LaserJet designed to be more efficient than its predecessors, using HP JetIntelligence toner cartridges. HP, like you, is committed to keeping business moving.

Every business values a problem solver. Help get more control with a robust management system and solutions that keep up with modern business

Easy-to-use features, fast print speeds, and simple mobile printing options help you keep up with the speed of business.

Accessories

2MU47A HP Accessibility Assistant 2NR12A HP Removable Hard Drive Enclosure 3JN69A HP Jetdirect 3100w BLE/NFC/Wireless Accessory **B5L28A** HP Internal USB Ports B5L29A HP High-Performance Secure Hard Disk F2A72A HP LaserJet 550-sheet Paper Tray F2A73A HP LaserJet Printer Cabinet G6W84A HP 1 GB 90-pin DDR3 DIMM J8030A HP Jetdirect 3000w NFC/Wireless Accessory J8031A HP Jetdirect 2900nw Print Server 1PV95A HP USB Port 100pc M507/M528 Accy 5EL03A HP TAA Version Secure Hard Disk Drive G6W84A HP 1GB 90-Pin DDR3 DIMM X3D03A HP USB Universal Card Reader Y7C05A HP HIP2 Keystroke Reader 4QL32A HP Legic Card Reader

Supplies

HP 89A Black Original LaserJet Toner Cartridge (~5,000 pages) CF289A HP89X High Yield Black Original LaserJet Toner Cartridge (~10,000 pages) CF289X HP89Y Extra High Yield Black Original LaserJet Toner Cartridge (~20,000 pages)CF289Y

Services

UB6Z2E: HP 3 years Next Business Date w/DMR LaserJet Enterprise M507 SVC UB6Z3E: HP 4 years Next Business Date w/DMR Laser Jet Enterprise M507 SVC UB6Z4E: HP 5 years Next Business Date w/DMR Laser Jet Enterprise M507 SVC UB6Z5E: HP 3 years 4 hours 9x5 w/DMR LaserJet Enterprise M507 SVC UB6Z6E: HP 4 years 4 hours 9x5 w/DMR Laser Jet Enterprise M507 SVC UB6Z7E: HP 5 years 4 hours 9x5 w/DMR LaserJet Enterprise M507 SVC UB7A1E: HP 3 years ChnlPartsOnly LaserJet Enterprise M507 SVC UB7A2E: HP 4 years ChnlPartsOnly LaserJet Enterprise M507 SVC UB7A3E: HP 5 years ChnlPartsOnly LaserJet Enterprise M507 SVC UB7A4PE: HP 1 year PageWide Next Business Date w/DMR LaserJet Enterprise M507 SVC UB7A5PE: HP 2 years PageWide Next Business Date w/DMR LaserJet Enterprise M507 SVC UB7A6PE: HP 1 year PageWide w/DMR 4 hours 9x5 LaserJet Enterprise M507 SVC UB7A7PE: HP 2 years PageWide w/DMR 4 hours 9x5 LaserJet Enterprise M507 SVC UB7B0PE: HP 1 year PageWide ChnlPartsOnly LaserJet Enterprise M507 SVC UB7B1PE: HP 2 years PageWide ChnlPartsOnly LaserJet Enterprise M507 SVC













 ¹ Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, wish http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
 ² High Netle Black Original Laser let Tomer Cartridges not included; please purchase separately
 ³ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
 ⁴ HP Wob Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin
 ⁵ HP JetAdaminage Security Manager must be purchased separately. To learn more, please with http://www.hp.com/go/securitymanager
 ⁷ Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting
 ⁸ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth* Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, wish tp.com/go/mobileprinting
 ⁸ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth* Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, wish tp.com/go/roam
 ⁹ An ECC Class A emissions compliand device meets the less tringent thigher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a res

HP LaserJet Enterprise M507 series

Compatible operating systems Siera v10.13, Apple [®] mac05 Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.tp.com, Enter your product name and search, Click on U your Product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems, For the support do perating Systems Section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems, For Support do Derating Systems, For Support do Derating Systems, For Support 2008 R2 64-bit, Windows Server 2008 R2, Falover Cluster 2008 R2, Falover Cluster 2008 R2, Falover Cluster 2018 R2, Falover Cluster 2010 R2, Falover Cluster 2018 R2, Falover Cluster				
Period Company 14 Control (Sec 10): 10				
And specify Leffs to be % periodical. If to be 2 periodical with a 2-periodic formation is 5 we later. Periodic Example, 2004. If the 2 periodic formation is 2 we later. Periodical Section 2004. If the 2 periodica 2004. If the 2 periodica				
State state control Back Section Disk Section State state control 1				
Part technology Lass, Pherreckluss Introducts and PP simple 1201 PR/ME 1201 Straid-Gymmiology IP 86.4 Straid-Gymmiology PP 41 process, data process, proce				
https://www.commune.comment/Commune.comment/Community.int // Apple Athibitit frage mutuality frage mutual				
Standard processor Implementation in the PSD provides in the PSD p				
Import material software (Marking comport / IP) IP in the Address printing print marker pages or berief. 2, 6, 10, marker and printing				
Halters The Provide According Control Contro Control Contrecontrol Control Contrecontece Control Control Contr				
Surdicative ¹ Control lifes - there life ignore that is - there life ignore that - the				
Sundard connectivity 111-Speed Device USB 2.0.2 14-Speed USB 2.0 http:// Explorite USB 2.0 http:// ExploriteUSB 2.0 http:// Explorite USB 2.0 http:// Explorite	nt Driver (Driver			
Standard controlling 14-Speed Deck USB 2.0.144 Signed USB 2.0.145.1 Spatial Binner Handbard transpatial Products Hereboxet management transpatial Produkts Hereboxet Management transpati				
Minute Accessory 80304 FP Interest 3100-8 R.PAFCWReekes PPRIMINIC 2000 FPN 300-10 Accessory 80304 FP Interests National Sciences Strategy Strate				
Wieles capabiliy Initial Wieles Station and Wieles Station and Wieles Station functionally available with PL detailer 2000 w/mail The statistic 2000 w/mail The statis				
Notes in an Understanding Optional for easy parking Capable for easy parking Optional for easy parking W-FP Direct parking Memory Standad 51 2180. Makemum: 15 GB MAK memory, when Accessor (DMR Actional, Stool GB minimum encrypted hard disk dive Dirty cell form/MV Lifet JS Boogn case. Bear M-FP Direct	ss Station and Wi-Fi			
Name Standards 51 / UK, Handmurn 15 GE MAN remove, when Accessory OMM is installed Installed Processor speed 12 (dir / Net add bc (Dinus) CSD (Berningum enviroppic than dir dis dive Day out (Install / Install dir / Install di	opria™ Certified; ROAM			
Process orgened 1.2 Gits / Storage 4 Gits Pank / Hard Bits Option 3.500 Git minimum encrystep hard disk dive Dary ords from 2014 Letters to to 30.000 pages. Recommended monthly page valume ¹ 2.200 to 5:00 Dary ords from 2014 100-beet multipurpose Tray 1.550-bleet input tray 2.100 to 5:00 beets Standard Option 1 Standard 100-beet multipurpose Tray 1.550-bleet input tray 2.00 to 5:00 beets Standard Option 2 Standard 250-beet output tray 2.00 to 5:00 beets Standard 100-beet multipurpose Tray 1.550-bleet input tray 2.00 to 5:00 beets Standard Option 2 Standard 250-beet output tray 2.00 to 5:00 beets Standard 100-beet multipurpose Tray 1.550-bleet input tray 2.00 to 5:00 beets Standard Option 2 Page From 2 3 3 Standard 250-beet output tray 2.0 to 3:0 beet standard 3 3 Media spee Page From 2.1 storage and standard 3 3 Media spee Page From 2.1 storage and standard 3 3 3 Media spee Page From 2.1 storage and standard 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3				
Day optimistic Extension Paper handling 100-sheet moltburunose Tray 1.550-sheet input tray 2. Up to 600 sheet 3. 100-sheet moltburunose Tray 1.550-sheet input tray 2. 100-sheet moltburunose Tray 1.550-sheet input tray 2. Darpad Standard 2250-sheet couput bin Up to 230 sheets Standard 100-sheet moltburunose Tray 1.550-sheets Standard 100-sheet moltburunose Tray 1.550-sheets Standard Darpad Standard Daper trays 2 3 4 3 Standard Daper trays 3 3 4 <t< td=""><td></td></t<>				
Dependenting 100-sheet multipurpose Tray 1, 550-sheet input tray 2; Up to 550 sheet 100-sheet multipurpose Tray 1, 550-sheet input tray 2; Up to 550 sheet 100-sheet multipurpose Tray 1, 550-sheet input tray 2; Up to 550 sheet Optpat Standard Annual (Stree support provided) Automatic (Standard) Daples Options Manual (Stree support provided) Automatic (Standard) Standard paper trays Paper Bond, color, letterhead, plain, preprinted, prepuncted, response to tray 1, Sto 5, standard,				
Input 100-sheet multipurpore Tray 1, 550-sheet input Tray 2, 1910 650 sheets 100-sheet multipurpore Tray 1, 550-sheet input Tray 2, 200 sheets Sandard Output Standard Standard Upper photos Standard Upper photos				
Statistical Opport Output Statistical Opport Output <	rays 2 and 3, automatic			
Diplex Options Minual (shiver support provided) Automatic (standard) Standard paper trays 2 3 Media types Paper Bond, color, letterhead, plain, preprinted, prepunched, recycled, rough), envelopes; labels; candstock; transparencies; user-defined 3 Media vagiat Tray 1: Letter, legal, executive, statement, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, 8.5 x 13 in, envelopes; labels; candstock; transparencies; user-defined 16.45 x 14.80 x 18.94 in; 5 x 8 in, 8.5 x 13 in; Optional Atomatic Duplexe: labels; candstock; transparencies; user-defined Media vagiat Tray 1: Letter, legal, executive, statement, 3 x 5 in, 4 x 6 an 0.8 x 14 in; Optional 500-shet 16.45 x 14.80 x 18.94 in; Maximum; 16.45 x 25.16 x 17.77 in Differed State Tray 1: Letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Stob-shet 16.45 x 14.80 x 18.94 in; Maximum; 16.46 x 25.16 x 17.70 in Differed State Tray 1: Letter, legal, executive, statement, 5 x 7 in, 5 x 8 in, 8.5 x 13 in; Optional Laser Jet Thorp is a 10 x 12.80 x 18.94 in; Maximum; 16.46 x 25.16 x 17.90 in Jacob, 12.80 in; Maximum; 16.46 x 14.80 x 18.94 in; Maximum; 16.46 x 14.80 x 18.94 in; Maximum; 16.46 x 25.16 x 12.90 in; Maximum; 16.46 x 14.80 x 18.94 in; Maximum; 16.46 x 25.16 x 12.90 in; Maximum; 16.46 x 14.80 x 18.94 in; Maximum; 16.46 x 1				
Envelope feeder No Sendard paper trays 2 Media types Paper Bond, calor, letterhead, plain, preprinted, prepunched, recycled, rough), envelopes; labels; cardstock; transparencies; user-defined 3 Media types Tray 1: 16 to 33 lin; tray 2: 16 to 22 lin; trays 1: 16 to 23 lin; trays 2: 16 to 22 lin; trays 1: 16 to 23 lin; trays 2: 16 to 22 lin; trays 3: 10 for 22 lin; trays 2: 16 to 22 lin; trays 3: 10 for 22 lin; trays 2: 16 to 22 lin; trays 3: 10 for 22 lin; trays 2: 10 for 22 lin; trays 3: 10 for 22 lin; trays 2: 10 for 22 lin; trays 3: 10 for 22 lin; trays 2: 10 for 22 lin; trays 3: 10 for 22 lin; trays 2: 10 for 22 lin; trays 3: 10 for 22 lin; tr				
Sandad types 2 3 Meda types Paper floord, color, letterhead, plain, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined 3 Meda weight Tray 1: 16 to 53 lb; tray 2 ×: 16 to 32 lb Tray 1: 16 to 53 lb; tray 2 ×: 16 to 32 lb Meda Szes executive, statement, 3 × 5 n; 5 × 0 n, 5 × 1 av; 0 (ptoral 4150-54) 16, 45 × 13 m; 0 (ptoral 550-54) Meda Szes tray 1: 3 × to 85 × 14 v; Tray 2: -14 × 5.83 to 8, × 13 n; 0 (ptoral 450-54) 16, 45 × 14.80 × 18.94 in; Maximum: 16, 64 × 25.16 × 17.71 Meda Szes tray 1: 3 × to 85 × 14 v; Tray 2: -14 × 5.83 to 8, 5 × 13 n; 0 (ptoral 450-54) 16, 45 × 14.80 × 18.94 in; Maximum: 16, 64 × 25.16 × 17.71 Meda Szes tray 1: 3 × to 85 × 14 v; Tray 2: -14 × 5.83 to 8, 5 × 13 n; 0 (ptoral 450-55) 36.310 Meda Szes tray 1: 2 × to 85 × 14 v; Tray 2: -14 × 5.83 to 8, 5 × 13 n; 0 (ptoral 450-57) 36.310 What's in the box ⁴ tray 1: 2 × to 85 × 14 × 100 replacement; tray 1 + 10 repl				
Media types Paper fband, colicy letterhead, plan, preprinted, prepunched, recycled, rough); envelopes; labels; cardstock; transparencies; user-defined Media vizes Tray 1: 16 to 53 lb, tray 2: 1. 6 to 32 lb Media vizes Tray 1: 16 to 53 lb, tray 2: 1. 6 to 32 lb Media vizes Tray 1: 16 to 53 lb, tray 2: 1. 7 in, 5 x B in, 8.5 x 13 in; Optional Astornatic Duplexe: letter (legal, 8 x 13 in Media Sizes Tray 1: 13 x 50 to 55. 14 in; Tray 2: 1. 41 x 58 to 8.5 x 14 (in; Guada Size) Dimensions (w x 4 x 1b) 15.64 x 14.80 x 18.9 x 11.7 rin; Maximum: 16.46 x 25.16 x 1.7 in Weight ² 27.1 b 15.64 x 14.80 x 18.9 x 10; Maximum: 16.46 x 52.16 x 1.17 rin; Maximum: 16.46 x 52.16 x 1.10 primet; HD Original Laser (Letterprise M07/n Printer; HD Original Laser (
Media weight Tray 1: 16 to 32 lb: Tray 2: 16 to 32 lb: Tray 2: 16 to 32 lb: Tray 2: 16 to 32 lb: Tray 1: 16 to 32 lb: 16 s × 16 in; 4 × 6 in; 5 × 7 in; 5 × 8 in; 8.5 × 13 in; 0 publical \$50-5h Media sizes Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 13 in; 0 publical \$50-5h Tray 1: 3 × 5 to 8.5 × 14 in; 7 publical \$50-5h Media Sizes Tray 1: 3 × 5 to 8.5 × 14 in; 7 publical \$50-5h Tray 1: 3 × 5 to 8.5 × 14 in; 7 publical \$50-5h Media Sizes Tray 1: 3 × 5 to 8.5 × 14 in; 7 publical \$50-5h Tray 1: 3 × 5 to 8.5 × 14 in; 7 publical \$50-5h Media Sizes Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 14 in; 7 publical \$50-5h Tray 1: 3 × 5 to 8.5 × 14 in; 7 publical \$50-5h Media Sizes Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 14 in; 7 publical \$50-5h Tray 1: 3 × 5 to 8.5 × 14 in; 7 publical \$50-5h Media Sizes Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 11 in; 7 publical \$50-5h Tray 1: 5 × 51 × 50 Media Sizes Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 14 in; 7 publical \$50-5h Tray 1: 5 × 16 × 12.5h Ministry Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 14 in; 7 publical \$50-5h Tray 1: 5 × 16 × 12.5h Ministry Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 14 in; 90 regian Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 14 in; 90 regian Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 14 in; 90 regian Executive, statement, 5 × 7 in; 5 × 8 in; 8.5 × 14 in; 90 regia				
Media sizes Tray 1: Inter, legal, executive, statement, 3 x in 4 x in 4 x in 5, x 7 in 5 x 8 in 8, 5 x 1 in; Optional 550-she Media sizes Tray 1: 3 x 10 b 5 x 1 4 in; Tray 2: 4 1 x 5 81 to 6 5 x 1 4 in; Optional 550-she Media Sizes Tray 1: 3 x 10 b 5 x 1 4 in; Tray 2: 4 1 4 x 5 81 to 6 5 x 1 4 in; Optional 550-she Media Sizes Tray 1: 3 x 10 b 5 x 1 4 in; Tray 2: 4 1 4 x 5 81 to 8 x 1 4 in; Optional 550-she Media Sizes 16.46 x 14.80 x 18.94 in; Maximum: 16.46 x 25.16 x 11.77 in Weight? 24.7 1b 16.46 x 14.80 x 18.94 in; Maximum: 16.46 x 25.16 x 11.77 in Waght? 24.7 1b 26.3 lb What's in the box ¹ HP Laser/Let Enterprise M507 n Printer; HP Original Laser /et Toner Cartridge -5.000 pages; Regulatory Hyer (CD reglacement); Unpack Hyer; Installation Guide, Power cord, Warranty Cards, Support Hyers/Inder Situ 50.8 H Cartel (ARD; Unpack Fyer; Installation Guide, Power cord, Warranty Cards, Support Hyers/Inder Situ 50.8 H Cartel (ARD; Unpack Fyer; Installation Guide, Power cord, Warranty Cards, Support Hyers/Inder Situ 50.8 H Cartel (ARD; Unpack Fyer; Installation Guide, Power cord, Warranty Cards, Support Hyers/Inder Situ 50.8 H Cartel (ARD; Unpack Fyer; Installation Guide, Power cord, Warranty Cards, Support Hyers/Inder Situ 50.8 H Cartel (ARD; Unpack Fyer; Installation Guide, Power cord, Warranty Cards, Support Hyers/Inder Situ 50.8 H Cartel (ARD; Unpack Fyer; Installation Guide, Power cord, Warranty Cards, Support Hyers/Inder Situ 50.8 H Cartel (ARD) Hyers/Ind				
Principal Sector executive, statement, Sx 7 in, Sx 1 in, Sx 1 in, Optional Automatic Duplexer: letter (egal, Sx 1 in methods) Welds Stees Custom Tay 1 Sx 1 bs 1 Sx 1 in the Tay 2: 4.14 x St 3 lb 0 Sx 1 in (pytional Sso-sheet Tray, 4.14 x Ss 3 lb 0 Sx 1 in methods) 16.46 x 18.90 km methods Winds Stees Custom 16.46 x 14.80 x 11.77 in, Maximum: 16.46 x 25.16 x 11.77 in 25.5 lb 36.3 lb What's in the box! HP Laserlet Enterprise MS07n Printer; HP Original Laserlet Toner Cartridge (-5.000 pages), Regulatory Myter (CD replacement), Unpack Fyer; restation Guide Power Cord; Varanshy Cards, Support Tilvers/Inhole Integrise MS07 Aprinter; HP Original Laserlet Toner Cartridge (-5.000 pages), Regulatory Myter (CD replacement), Unpack Fyer; restation Guide Power Cord; Varanshy Cards, Support Tilvers/Inhole Integrise MS07 Printer; HP Original Laserlet Toner Cartridge (-5.000 pages), Regulatory Myter (CD replacement), Unpack Fyer; restation Guide Power Cord; Varanshy Cards, Support Tilvers/Inhole Integrise MS07 Printer; HP Original Laserlet Toner Cartridge (-5.000 pages), Regulatory Myter (CD replacement), Unpack Fyer; restation Guide Power Cord; Varanshy Cards, Support Tilvers/Inhole Integrise MS07 Printer; HP Original Laserlet Toner Cartridge (-5.000 pages), Regulatory Myter (CD replacement), Unpack Fyer; restation Guide Power Cord; Varanshy Cards, Support Tilvers/Inhole Integrise MS07 Printer; HP Original Laserlet Toner Cartridge (-5.000 pages), Regulatory Myter (CD replacement), Unpack Fyer; restation Guide Power Cord; Varanshy Cards, Support Tilvers/Inhole Integrise MS07 Printer; HP Original Laserlet Toner Cartridge (-5.000 pages), Regulatory Myter (CD replacement), Unpack Fyer; restation Guide Power Cord; Varanshy Cards (-5.000 pages), Regulatory Myter (CD replacement), Unpack				
Dimensions (w x d x h) 16.46 x 14.80 x 11.77 in; Maximum; 16.46 x 25.16 x 11.77 in; 16.46 x 14.80 x 11.77 in; Maximum; 16.46 x 25.16 x 11.77 in; Weight ² 24.7 lb 36.3 lb 36.3 lb What's in the box1 HP Laser/LE Enterprise M507n Printer; HP Original Laser Jet Toner Carridge F.5000 pages; Regulatory flyer (CD replacement); Chie 36.3 lb What's in the box1 HP Laser/LE Enterprise M507n Printer; HP Original Laser Jet Toner Carridge F.5000 pages; Regulatory flyer (CD replacement); Chie 15.46 x 14.80 x 18.94 in; Maximum; 16.46 x 25.16 x 12.92 miniter; HP Original Laser Jet Toner Viariantly cards; Support flyer; SUD0 ages; Cargos; HPB2W Exth Fille HP Laser/LE Enterprise M507n Printer; HP Original Laser Jet Toner Carridge F.5000 pages; Regulatory flyer (CD replacement); Chie 15.46 k 14.80 x 18.94 in; Maximum; Cards; Support Replacement carridge HPD Saser High PSW Exth Fille PSW Exth Fille Black Conginal Laser Jet Toner Carridge F.5000 pages; Regulatory flyer (CD replacement); Chie 15.46 k 14.80 x 18.94 in; Maximum; Cards; Support Replacement carridge HPD Saser High PSW Exth Fille PSW Exth Fille PSW Exth Fille Black Conginal Laser Jet Toner 16.46 k 14.80 x 11.87 lin; Maximum; Cards; Support Replacement carridge Montex PSW Exth Fille PSW Exth F	sheet tray: letter, legal,			
Weight ² 24.7 lb 24.7 lb 36.3 lb What's in the box! HP Laser/et Enterprise M507n Printer; HP Original Laser/et Toner Catridge (-5,000 pages), Regulatory fiver (IC) replacement), Unpack Fiver; Installation Guide; Power cord; Warranty Cards, Support fiver simulation Guide; Power cord; Warranty Cards, Support fiver simulation; Guide; Power cord; Warranty, Cards, Support fiver simulation; Guide; Power cord; Marranty, Cards, Support fiver, Guide; Power cord; Marranty, Cards, Support fiver, Guide; Power, Card, Fiver, Card, Fiver, Card, Firer, Card, Firer, Card, Firer, Card, Firer,				
HP Lase let Enterprise M507:n Printer; HP Original Lase let Toner Cartridge HP Cargent Lase let Tonerrise M507:n Printer; HP Original Lase let Toner Cartridge HP Cargent Lase let Tonerrise M507:n Printer; HP Original Lase let Toner Cartridge HP Cargent Lase let Tonerrise M507:n Printer; HP Original Lase let Toner Cartridge HP Cargent Lase let Toner Cartridge HP Lase let Tonerrise M507:n Printer; HP Original Lase let Toner Cartridge HP Cargent Lase let Toner Cartridge HP Lase let Cargent Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Cargent Card Support Printer; HP Original Lase let Toner Cartridge HP Cargent Lase let Toner Cartridge HP Cargent Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Cargent Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Cargent Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner Cartridge HP Lase let Card Support Printer; HP Original Lase let Toner C	x 18.94 in			
Replacement cartridges HP 89A Black Original Laser Jet Toner Cartridge (~5,000 pages) CF289X; HP89X High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 Pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 Pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Cartridge (~10,000 Pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet Toner Site Toner Site Toner Cartridge (~10,000 Pages) CF289X; HP89Y Extra High Yield Black Original Laser Jet	Unpack Flver:			
And support options in your region. (wty code 4G; wty ID A001) Energy efficiency compliance No Energy efficiency compliance CECP Blue Angel; CECP, EPEAT® Gold; ENERGY STAR® qualified Blue Angel; EPEAT® Silver; CECP; ENERGY STAR® qualified Control panel 2.7-in (6.86 cm) QVGA LCD (color graphics) display with 24-key pad 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) display; Home button Software included No software solutions are included in the Box, only on http://hp.com, http://123.hp.com 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) Software included No software solutions are included in the Box, only on http://hp.com, http://123.hp.com Fonts and typefaces 105 intermal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type);2 Internal Windows Vista E Cambria);additional font solutions available via third-party flash memory cards; HP Laser let Fonts and IPDS Emulation available at Http://www.hp.com/gol/aserjetfonts Compatible operating systems Sierra v10.13, Apple® macOS Mojaev v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems on third//support.pp.com, Enter your product name and search, Click on U windows Server 2008 R2 64-bit, Windows Server 2012 R2, Clirix Server 7.18 Kerdy Kit Certification - Up to Clirix Ready Kit Certification - Up to Clirix Ready Kit Certification - Up to Clirix Ready Kit Certification - Up to Clir A for more information see http://fouroutpare.sp.cliri	r Cartridge (~20,000			
Energy efficiency compliance CECP Blue Angel; CECP; EPEAT® Gold; ENERGY STAR® qualified Blue Angel; EPEAT® Silver; CECP; ENERGY STAR® qualified Control panel 2.7-in (6.86 cm) QVGA LCD (color graphics) display with 24-key pad 4.3-in (10.92 cm) Color Graphics Display (CDD) with to (adjustable angle) display. Display 2.7-in (6.86 cm) QVGA LCD (color graphics) 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) display. Software included No software solutions are included in the Box, only on http://hp.com, http://123.hp.com 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) display. Fonts and typefaces 105 internal TrueType fonts scalable in HP DCL, 92 internal scalable fonts in HP postscript Level 3 emulation Guro symbol built-in): 1 internal Unicode Fonts (Andale Mono World Type);2 Internal Windows Vista 8 (ample) and int solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts Compatible operating systems Windows Client OS (32/64 bit), Win1 0, Win8, UMB PC, Win8 Proterpise, Win8 Enterprise, Win8 Enterprise, Win8 Struer; Sever 70.12 (ad-bit), Windows Server 2010 R2, Garbit (Sever 67 09 R26 d-bit); (Sever 67 09 R26 d-bit); (Sever 67 09 R26 d-bit); Windows Server 2010 R2, Benetor Boreande, Search for yruc (Product Name) - User Guide, Search	award winning service			
Control panel 2.7-in (6.86 cm) QVGA LCD (color graphics) display with 24-key pad 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) display, Home button Display 2.7-in (6.86 cm) QVGA LCD (color graphics) 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) display, Home button Software included No software solutions are included in the Box, only on http://hp.com, http://123.hp.com 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) Fonts and typefaces T05 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type);2 Internal Windows Vista 8 Cambria);additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPOS Emulation available at Http://www.hp.com/go/laserjetfonts Compatible operating systems Sierra v10.13, Apple® macOS Mejaw v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems for the supported operating systems sector prove rooms and reschops entry.///www.hp.com/go/upd Compatible network operating systems Windows Server 2008 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 R2, Citrix Server 7.18 for more information see http:///loc.upde.psechopserver 2012 R2, Citrix Server 7.18 for more information see http://loc.upde.psechopserver 2012 R2, Citrix Server 7.18 for more information see http://loc.upde.psechopserver 2012 R2, Citrix Server 7.18 for more information see http:				
Control parter 2.7-In 10:00 Chr Quok CDD color graphics) (adjustable angle) display, Home button Display 2.7-In 10:00 Chr Quok CDD color graphics) 4.3-In (10:92 cm) Color Graphics Display (CGD) with to (adjustable angle) Software included No software solutions are included in the Box, only on http://hp.com, http://123.hp.com Internal Turnal Color Graphics Display (CGD) with to (adjustable angle) Fonts and typefaces 105 internal Turley fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type);2 Internal Worldwors Vista E Compatible operating systems and 10.3 (adjustable angle) Software included Windows Citert OS 102/GA bit), Win 0, Wind 1, Wind B Basic, Wind PT, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on U your product name and search for User Guide, Search for the Supported Operating Systems section, UPD VELS /PS Printer Drivers, Supported Operating Systems section, UPD VELS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Operating Systems section, UPD PCLS /PS Printer Drivers, Supported Coperating Systems section see http://hp.com/g	alified			
Display 2.7-in (6.86 cm) (VGA LCD (color graphics) 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) Software included No software solutions are included in the Box, only on http://hp.com, http://123.hp.com 4.3-in (10.92 cm) Color Graphics Display (CGD) with to (adjustable angle) Fonts and typefaces 105 internal TrueType fonts scalable in HP DCL, 92 internal scalable fonts in HP postscript Level 3 emulation exailable at Http://www.hp.com/go/laseije05.05, Android, Mac, Apple® macOS Sierra v10.12 Compatible operating systems Windows Client OS (32/64 bit), Win10, Win8.1, Win8 Basic, Win8 Pro, Win8 Enterprise, Win8	touchscreen; rotating			
Fonts and typefaces 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in): Thermal Unicode Fonts (Andale Mono World Type)/2 Internal Windows Vista B Cambria);additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjet/onts Compatible operating systems Windows Club, Win10, Search for type (Lick on U your product name and search, for Use Guide, Search for your (Product Name) - User Guide, Searc	touchscreen; rotating			
Combinability details Cambrinability details Cambrinability of the supported of the support of the				
Compatible operating systems Sierra v10.13, Apple [®] macOS Mojave v10.14, Discrete PCL6 Printer Drivers, For more information on the supported operating systems pour product name and search, for User Guide, Search for your (Product Name) - User (Product Name) - User (Product Name) - User (
Compatible network server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix XenApp & XenDesktop 7.6, Novell Print server, Citrix Ready Kit Certification - Up to Citrix Server 7.18 for more information see http://br. operating systems Dinux - For more information see http://br. Operating systems please see http://hp.com/go/upd Minimum system requirements PC2: GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com; Power supply type: Built-in 115V or 220V Power Supply; Power supply required: input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/-	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS Higi Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information the supported operating systems sec http://www.hp.com/go/upd			
requirements Mac: 2 GB available hard drive space, Internet connection or USB port, 0S hardware requirements see apple.com; Power supply type: Built-in 115V or 220V Power Supply: Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/- (+/-3Hz), 7.5 A; Input voltage: 220V to 240V nominal (+/-	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2018 R2, 64-bit, Windows Server 2018 R2, Remote Desktop server 2012 R2, Clitix Server 6.5, Clitix XenApp & XenDesktop 7.6, Novelli Print server, Clitix Ready Kit Certification - Up to Clitix Server 7.18 for more information see http://clitixready.clitix.com, Linux-For more information see http://developers.hp.com/hp-linux-imaging-and-printing, Unix-For more information see http://hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers-, Supported for Compatible Network Operation systems please see http://ho.com/ap.linux-imaging-and-printing, Unix-For more information see http://bit.server.clitix.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers-, Supported for Compatible Network			
Power supply type: Built-in 115V or 220V Power Supply; Power supply required: Input voltage: 100V to 127V nominal (+/-10%), 50 - 60Hz nominal (+/14)-7, 7,5, input voltage: 202V to 240V nominal (+/- 10%), 50 - 60Hz nominal (+/-				
Fower supply type, built-in 115 of 220 Fower supply required, input voltage, row to 127 v horninat (17-1070), 50 - obriz horninat (17-	10%), 50 - 60Hz nomina			
Power ^{4 5} 342), 7.5 % Input voltage: 200 Foure 34209	Active Printing) 7.60 D.06 watts (Off), Auto umption (TEC) number: nergy Star 3.0); Best			
Acoustic power emissions: 6.9 B(A) Acoustic power emissions: 6.8 B(A)				
Operating environment Operating temperature range: 50 to 90.5°F; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating temperature: 59 to 80.6°F; Storage temperature range: -4 to 104°F; Operating humidity range: 10 to 80% RH; Recommended operating temperature: 59 to 80.6°F; Storage temperature: 59 to 80	g humidity range: 30 to			
Security management Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certific and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PL 140 validated cryptographic libraries from Microsoft); Secure Erase; SLTLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; link the det filter and accessable in ArcSight; Suplex 3 and Accesa	PDF & Email (uses FIPS s; Intrusion Detection , EXEs,); Connection			

In box cartridge yields 5,000 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.
 With print cartridges
 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
 Best TEC is not applicable to the ES2.0 TEC. This measurement was made with the printer configuration optimized for energy efficiency. Minimum Sleep Delay was used, Wi-Fi Direct was disabled, and Active I/O - Energy Efficient Ethernet was used.
 Declared yield value in accordance with ISO/IEC 19752. Actual yields are on conselerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies
 To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth* Low Energy (BLE) beaconing capabilities. Customer can purchase the HP letdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB.

⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdricet 3100w BLE/NFC/Wireless accessory on the RadBeacon USB.
 ⁸ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
 ⁹ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
 ¹⁰ HP SursSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit http://www.hp.com/gg/SursSupply.
 ¹¹ PCC Class A emissions - for use in commercial environments, not residential environments
 ¹² Accessured using ISO/EC2 4734 Feature Test, AS Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
 ¹³ Measured using ISO/EC2 4734 Office Suite and Feature Test, excludes first set of test documents. For more information see http://www.hp.com/gg/printerclaims. Exact speed varies depending on the system configuration, software application, driver, document complexity, media size, media orientation and media type.
 ¹⁴ Measured using ISO/EC17629. For more information see http://www.hp.com/gg/printerclaims. Exact speed varies depending on the system configuration, software application, driver, document complexity.

To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

4AA7-4782ENUC, June 2020, R4