HP Color LaserJet Enterprise M555 Printer series



HP's mid-level Enterprise-class color printer with speeds up to 40 ppm⁸ and strongest security.²

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. http://www.hp.com/go/learnaboutsupplies



HP Color LaserJet Enterprise M555dn



HP Color LaserJet Enterprise M555x

The world's most secure printing²

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified³ to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.

Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features¹ to optimize your investment for years to come.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.⁵
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Expect consistent, high-guality results with technology that automatically adjusts print settings to paper type.

Enhanced productivity to empower workgroups

- Give workgroups what they need to succeed. Easily choose and deploy hundreds of HP and third-party solutions.
- Keep your office connected. Built-in Ethernet and Dual-band Wi-Fi^{®7} connectivity let you share printing resources on a network.
- Easily manage jobs directly at the printer with a customizable 4.3-inch (10.9 cm) color touchscreen.
- Spend less time loading paper with up to three input trays for an additional capacity of 2,300 sheets.

Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.⁹
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.¹⁰
- Help save energy intelligently by using only the power you need with HP Auto-On/Auto-Off Technology.¹¹
- Help reduce your impact. Count on easy cartridge recycling at no charge with HP Planet Partners.¹²

 [•] Wireless performance is dependent of physical environment and distance from access point and may be limited during active VPX connections.
 [•] Dependent up perclications.
 ¹⁰ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth[®] Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
 ¹¹ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings. May require a firmware upgrade.
 ¹² Program availability varies. For more information, visit hp.com/recycle
 ¹³ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential

Product walkaround

1.250-sheet output bin

- 2. Front door for access to Original HP Toner cartridges with JetIntelligence
- 3. Automatic two-sided printing (default)¹
- 4. Slot for cable-type security lock
- 5. Gigabit Ethernet network port
- 6. Hi-Speed USB 2.0 printing port
- 7. Hi-Speed USB 2.0 port for third-party devices
- 8. 4.3-inch (10.9 cm) color graphics display with touchscreen
- 9. Hardware Integration Pocket (for connecting accessory and third-party devices)²
- 10. Easy-access USB port³
- 11. Convenient front on/off switch
- 12. Right door for clearing jams and access to the fuser
- 13. 100-sheet multipurpose tray 1
- 14. Lower right door for clearing jams
- 15. Two 550-sheet input trays for a 1,200-sheet total input capacity



Series at a glance





Model	HP Color LaserJet Enterprise M555dn	HP Color LaserJet Enterprise M555x
Model	M555dn	Model
Product number	7ZU78A	7ZU79A
Print speed (Letter) ⁴	Up to 40 ppm	
Automatic two-sided printing (default) ¹	\checkmark	
100-sheet multipurpose tray 1, and 550-sheet input tray 2	√	
550-sheet input tray 3	Optional (up to 3)	√ (plus up to 2)
Input capacity (standard/maximum)	Up to 650/2,300 sheets	Up to 1,200/2,300 sheets
Printer stand	Optional	
Control panel	4.3" color touchscreen	
Memory (standard/maximum)	1 GB / 2 GB	
HP High-Performance Secure Hard Disk	Optional	
Hardware Integration Pocket (HIP) ²	√	
Dual-band Wi-Fi with Bluetooth® Low Energy, Wi-Fi Direct®5	Optional	√
ENERGY STAR [®] qualified	· √	

- ¹ Dependent upon country setup specifications.
 ² Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase.
 ³ An administrator must enable the easy-access USB port before use.
 ⁴ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 ⁵ Mobile device needs to be connected directly to the signal of a Wi-Fi Direct supported MIP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance. For details, see hp.com/go/mobileprinting.

HP Services

AirPrint

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

mopria

For carepack availability visit: hp.com/go/cpc

Top features

HP printers have the industry's strongest security² because they're always on guard, continually stopping threats while adapting to new ones. And only HP printers can automatically self-heal from attacks, so IT doesn't need to intervene.

Set up workgroups for success without adding more to your plate. Help teams thrive while allowing IT the control it needs to quickly handle business fleet-wide, using a streamlined printer built for straightforward use and management.

Ease collaboration and productivity without interruption, using a printer that supports how people work today: fast, nimble, and connected. Quickly print the premium color documents your business needs to look professional, day in and day out.

Business is all about resource management, and finding efficiencies is everyone's responsibility. HP printers are designed with the environment in mind, so workgroups can complete tasks quickly while helping to conserve energy wherever possible

Access	ories
ALCESS	ULIES

8 F

E

2MU47A 2NR03A 2NR12A 3JN69A 4QL32A 5EL03A 35F231A 35L28A 35L29A 35L29A 35L24A 35L51A 25L51A 25L51A 2543B 35L51A 2543B 35M84A X3D03A	HP Accessibility Assistant HP 1 GB 90-pin DDR3 DIMM HP Removable Hard Drive Enclosure HP Jetdirect 3100w BLE/NFC/Wireless Accessory HP TaA Version Secure Hard Disk Drive HP TAA Version Secure Hard Disk Drive HP Jetdirect LAN Accessory HP Internal USB Ports HP High-Performance Secure Hard Disk HP Color Laser Jet 550-sheet Media Tray HP Color Laser Jet 550-sheet Media Tray HP Color Laser Jet Solution for US Government HP SmartCard NIPRNet Solution for US Government HP 1 GB 90-pin DDR3 DIMM HP Universal USB Proximity Card Reader
K3D03A	HP Universal USB Proximity Card Reader
Y7C05A	HP HIP2 Keystroke Reader

Supplies

B5L35A B5L36A B5L37A	HP Color Laser Jet BSL35A 110V Fuser Kit (Approximately 150,000 pagesApproximately 150,000 pages) HP Color Laser Jet BSL36A 220V Fuser Kit (Approximately 150,000 pagesApproximately 150,000 pages) HP Color Laser Jet BSL37A Toner Collection Unit (Approximately 54,000 pagesApproximately 54,000 pages)
W2120A	HP 212A Black Original LaserJet Toner Cartridge (5,500 pages)
W2120X	HP 212X High Yield Black Original LaserJet Toner Cartridge (~13,000 pages)
W2121A	HP 212A Cyan Original LaserJet Toner Cartridge (Per cartridge: 4,500 pages)
W2121X	HP 212X High Yield Cyan Original LaserJet Toner Cartridge (Per cartridge: 10,000 pages)
W2122A	HP 212A Yellow Original LaserJet Toner Cartridge (Per cartridge: 4,500 pages)
W2122X	HP 212X High Yield Yellow Original Laser Jet Toner Cartridge (Per cartridge: 10,000 pages)
W2123A	HP 212A Magenta Original Laser Jet Toner Cartridge (Per cartridge: 4,500 pages)
W2123X	HP 212X High Yield Magenta Original Laser Jet Toner Cartridge (Per cartridge: 10,000 pages)

Solutions

Overview: The HP Solutions portfolio provides a broad array of solutions designed to work with many HP printers and MFPs. They can help improve productivity, safequard your data, and drive down costs. Helping employees and your IT team work more efficiently

Security: HP JetAdvantage Security Manager fleet security compliance and management; HP Access Control; HP JetAdvantage Secure Print; Card readers; Secure Encrypted Print (UPD)

Mobile and universal print: HP Universal Print Driver (UPD); HP Roam for Business; HP ePrint; HP PrinterOn Enterprise Management: HP Web JetAdmin; HP JetAdvantage Security Manager; HP JetAdvantage Insights

Services

U8CG8E-HP 5y 4h 9x5 CLJ M55x SVC U8CG9E-HP 5y 4h 13x5 CLJ M55x SVC U8CH1E-HP 5v NBD CLLM55x SVC U8CH4E-HP 5y NBD CTR CLJ M55x SVC U8CH7E-HP 5y 2nd Day CTR CLJ M55x SVC U8CJ0E-HP 5y ChnlPartsOnly CLJM55x SVC U8CU3E-HP 5yNBDw/Max 5 Maintenance kit CLJ M55x SVC U8CJ1PE-HP 1v PW ChnlPartsOnly CLJ M55x SVC U8CJ2PE-HP 1y PW NBD CTR CLJ M55x SVC U8CJ3PE-HP 1y PW 2nd Day CTR CLJ M55x SVC U8CJ4PE-HP 1y PW NBD CLJ M55x SVC U8CJ5PE-HP 1y PW 4h 9x5 CLJ M55x SVC U8CJ6PE-HP 1y PW 4h 13x5 CLJ M55x SVC U8CJ7PE-HP 2y PW NBD CLJ M55x SVC U9JT1E-HP Inst SVC w/nw Personal Scanner & Print UL623E-HP MKRCM3530/M575MFP/CP3525/M55x 110VSVC UL622E-HP MKRCM3530/M575MFP/CP3525/M55x 220VSVC

¹ Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
 ² HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device yber resiliency. For a list of compatible products, visit hp.com/go/PrintersCharation Justip L.com/go/PrinterScharation Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Enterprise and Managed devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriterianportal.org/files/epfiles/Certification%20Eeport%20-%20HP%20Intrusion%20Detection.pdf
 ⁴ Use of the HD Trusted Platform Module may require a firmware upgrade.
 ⁵ HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
 ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 ⁶ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software appli

Twitteness performance is dependent of physical environment and distance from access point and may be limited during active VPA connections.
¹⁰ Dependent upp specifications.
¹⁰ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth[®] Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
¹¹ PA Auto-Oh/Auto-Off Technology capabilities subject to privine and settings. May require a firmware upgrade.
¹² Program availability varies. For more information, visit hp.com/recycle
¹³ An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a residential environment and an FCC class A device should not be purchased for use in a r

Mode

HP Color LaserJet Enterprise M555 Printer series

HP Color Laser let Enterprise M555dn

Product number 72U79A AID functions Print Print Print speed%8,7 Print speed%8,7 First page out Letter: As fast as 6.6 sec Black; As fast as 7.5 sec Color; First page out A4: As fast as 6.7 sec Black; As fast as 7.6 sec Color; Letter: Up to 40 ppm Black; Up to 40 ppm Color; A Print speed%8,7 First page out Letter: As fast as 6.6 sec Black; As fast as 7.5 sec Color; first page out A4: As fast as 6.7 sec Black; As fast as 7.6 sec Color; Letter: Up to 40 ppm Black; Up to 40 ppm Color; A Print resolution Black (best) HP imageRE1 3600; Black (normal) Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi Print terhology Laser; Print resolution terhology; HP imageRE1 3600; Root (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi Print terhology Laser; Print resolution Apple APPinit!" Mopria-certified Apple APPinit!" Mopria-certified HP ePinit, ROAM capable for easy printing 0, Den Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-OnAuto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3' touchs:rcreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), Collation, watermarks, store print jobs Printer management / HP HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, Printer Administrator Resource KI Configuration Pocket, Integration Dock MP indig APPinith, Subport on Fast Ethernet and Gigabit/Fast Ethernet 10/100/1000 Base-TX netwo			
Print First page out Letter: As fast as 6.6 sec Black; As fast as 7.5 sec Color; First page out A4: As fast as 6.7 sec Black; As fast as 7.6 sec Color; Letter: Up to 40 ppm Black; Up to 40 ppm Color; A print speed (Landscape, AS: Up to 59 ppm Black; Up to 50 ppm Color; Color (best): HP ImageRE1 3600; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi Print resolution Black (best) HP ImageRE1 3600; Clor (normal): Up to 600 x 600 dpi; Clor (fine lines): Up to 1200 x 1200 dpi Print technology Laser; Print resolution technology: HP ImageRE1 3600; Clor (normal): Up to 600 x 600 dpi; Clor (fine lines): Up to 1200 x 1200 dpi Print technology Laser; Print resolution technology: HP ImageRE1 3600; Clor (normal): Up to 600 x 600 dpi; Clor (fine lines): Up to 1200 x 1200 dpi Print technology Laser; Print resolution technology: HP Prospect (Letter: UP to 40 ppm Clor; A pape AirPrint ^m , Mopria-certified, HP Perint; ROAM capable for easy printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-Onflucto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3' touchscreen control panel, print multiple pages per sheet (2, 4, s, 16), Collidion, waterrem ranagement / HP Printer management / HP HP Printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource KI Sondard connectivity Standard connectivity 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX,			
Print speed ^{6,8,7} First page out Letter: As fast as 6.6 sec Black; As fast as 7.5 sec Color; First page out A4: As fast as 6.7 sec Black; As fast as 7.6 sec Color; Letter: Up to 40 ppm Black; Up to 40 ppm Color; A Print resolution Black (best): HP ImageRE: 3600; Color (normal): Up to 500 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi Color (nest): HP ImageRE: 3600; Black (normal): Up to 500 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi Color (nest): HP ImageRE: 3600; Color (normal): Up to 500 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi Color (nest): HP ImageRE: 3600; Color (normal): Up to 500 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi Color (nest): HP ImageRE: 3600; Color (normal): Up to 500 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi Color (nest): HP ImageRE: 3600; Color (normal): Up to 500 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi di (1			
Print speed (Landscape, A5): Up to 59 ppm Black; Up to 59 ppm Color Print resolution Black (best): HP ImageRE 3600; Black (normal): Up to 600 x 600 dp; Black (fine lines): Up to 1200 x 1200 dpi Print resolution Black (best): HP ImageRE 3600; Black (normal): Up to 600 x 600 dp; Color (fine lines): Up to 1200 x 1200 dpi Print resolution Color (best): HP ImageRE 3600; Color (normal): Up to 600 x 600 dp; Color (fine lines): Up to 1200 x 1200 dpi Print cartridges number 4 (1 each black, cyan, magenta, yellow) Standard print languages HP PCL 6; HP PCL 5; HP Postscript level 3 emulation, native PDF printing, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-OnAuto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3* touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermark, store print lobs Apple AirPrint [®] , Mopria-certified, HP ePrint, ROAM capable for easy per sheet (2, 4, 6, 9, 16), collation, watermark, store print lobs Printer smark software (norigraviton Utility - Managed Printing Administrator)/ Apple AirPrint [®] , Mopria-certified, HP ePrint, ROAM capable for easy per sheet (2, 4, 6, 9, 16), collation, watermark Printer management / HP Printer Assistant, HP Device Toolloox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SIMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator RSource Ki Surgey Julia (Connectivity) 1H-Speed Device USB 2.0; 2H-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; 1Hardware Integration Pocket 1H-Speed Device			
Print technology Laser; Print resolution Color (normal: Up to 500 x 600 dp; Clor (fine fines): Up to 1200 x 1200 dpi Print technology Laser; Print resolution technology: HP ImageREI 3600; Color (fine fines): Up to 1200 x 1200 dpi Standard print languages HP PCL 6; HP PCL 5; HP postscript level 3 emulation, native PDF printing, Open Extensibility Platform, FutureSmarts oftware features Apple AirPrint [®] , Mopria-certified, HP ePrint, ROAM optional for easy printing, Open Extensibility Platform, FutureSmart S, store print jobs Apple AirPrint [®] , Mopria-certified, HP ePrint, ROAM optional for easy print (s, 9, 16); collation, waterm features Apple AirPrint [®] , Mopria-certified, HP ePrint, ROAM optional for easy print (s, 9, 16); collation, waterm features Apple AirPrint [®] , Mopria-certified, HP ePrint, ROAM optional for easy print (s, 9, 16); collation, waterm features Apple AirPrint [®] , Mopria-certified, HP ePrint, ROAM optional for easy print (s, 9, 16); collation, waterm features Apple AirPrint [®] , Mopria-certified, HP ePrint, ROAM optional for easy print (s, 9, 16); collation, waterm features Printer management / HP svireSupply HP Printer Assistant, HP Device Toolbox, HP Web JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource KI wireless 802.1 1b/g/n / 2.4 / 5 GH2 Wi-Fi radio, Hardware Integration Pocket Standard connectivity 1 Hi-Speed Device USB 2.0; 2 H-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX, 1000Dase-F, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11 a/b/g/n wireless network (apbibin) Yes, via HP Jetdirect Ethernet emb	4: Up to 38 ppm Black; Up to 38 ppm Color;		
Print cartridges number 4 (1 each black, cyan, magenta, yellow) Standard print languages HP PCL 5; HP PCL 5; HP potscript level 3 emulation, native PDF printing (v 1.7) Apple AirPrint [™] , Moyria-certified, HP ePrint, ROAM optional for easy printing, Open Extensibility Platform, FutureSmart Firmware, Instant- on Technology, HP Auto-Onfluto-Off technology, Easy Access USB, Iwo-Sided Printing, Hardware Integration Pocket, Intuitive 4.3' touchscreen control panel, print multiple pages per sheet (2, 4), 5, 9, 16), collation, watermarks, store print jobs Apple AirPrint [™] , Mopria-certified, HP ePrint, ROAM capable for easy printing, Open Extensibility Platform, FutureSmart Firmware, Instant- on Technology, HP Auto-Onfluto-Off technology, Easy Access USB, Iwo-Sided Printing, Hardware Integration Pocket, Intuitive 4.3' touchscreen control panel, print multiple pages per sheet (2, 4), 5, 0, 16), collation, waterm multiple pages per sheet (2, 4), 5, 0, 16), collation, waterm multiple pages per sheet (2, 4), 5, 0, 16), collation, waterm multiple pages per sheet (2, 4), 5, 0, 16), collation, waterm resource KI Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)/ Connectivity 1 Hi-Speed Device USB 2.0; 2H -Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 24 / 5 GHZ Vi-Firnet and Gigabit Ethernet; Pace (Standard), Bupting inclusion; and theragration 1000Base-TX, 1000Base-TX, 2000Base-TX, 2000Base-T	Black (best) HP ImageREt 3600; Black (normal) Up to 600 × 600 dpi; Black (fine lines) Up to 1200 × 1200 dpi Color (best): HP ImageREt 3600; Color (normal): Up to 600 × 600 dpi; Color (fine lines): Up to 1200 × 1200 dpi		
Standard print languages HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7) Printer smart software features Apple AirPrint [™] , Mopria-certified, HP ePrint, ROAM optional for easy printing, Deen Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off technology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3* touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, waterm Printer smaresement / HP Apple AirPrint [™] , Mopria-certified, HP ePrint, ROAM capable for easy print on the printer Assistant, HP Device Toolbox, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Ki SureSupply Connectivity 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0; Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0; 2 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX, 1000Base-T, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11 a/b/g/n wireless networking (optional), enabled with purchase of a wireless hardware accessory. Dual-band Wireless Station and Wi-Fi Direct Yes, via HP Jetdirect Ethernet and Gigabit Ethernet; IPsec (standard); 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11 a/b/g/n wireless networking (optional), enabled with purchase of a wireless hardware accessory. Dual-band Wireless Station and Wi-Fi Direct Yes, via HP Jetdirect Tehrenter and Gigabit Ethernet; IPsec (standard); 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.3az (EEE) Support on Fast Ethernet and Gig Links; IPsec (s	Laser; Print resolution technology: HP ImageREt 3600, Pantone Calibrated		
Apple AirPrint™, Mopria-certified, HP ePrint, ROAM optional for easy printing, Open Extensibility Platform, Futures/mark Eirmware, Instant-on Technology, HP Auto-On/Auto-Off Hechnology, Easy Access USB, Two-Sided Printing, Hardware Integration Pocket, Intuitive 4.3" touchorsen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, waterm Printer, management / HP Apple AirPrint™, Mopria-certified, HP ePrint, ROAM capable for easy printing, Hardware Integratic features Printer, management / HP The Printer, Scistant, HD Device Toubox, HP Web JetAformin Software, HP letAdvantage Security Manager, HP SNMP Proxy Agent, HP WS Pro Proxy Agent, Printer Administrator Resource Ki Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)/ The Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX, network; Hardware Integration Pocket 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX, network; Hardware Integration Pocket 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX, network; Network capabilities 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet and Gig Link; IPsec (standard) which supports: 10Base-T, 100Base-TX, 100Base-TX, 100Base-TX, 100Base-TX, 100DBase-TX, 100			
Printer smart software features FutureSmart Firmware, Instant-on Technology, HP Auto-On/Auto-Off Kenhology, Easy Access USB, Two-Sided Printing, Hardware Integrating Pocket, Intuitive 4.3" touchscreen control panel, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs Energy, Open Extensibility Platform, FutureSmart Firmware, Instant-on technology, Easy Access USB, Two-Sided PLB, Two-Sided			
SureSupply Configuration Utility - Driver Deployment Utility - Managed Printing Administrator// Connectivity 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX, Wireless 802.11 b/g/n / 2.4 / 5 GHZ Wi-Fi radio; Hardware Integration Docket Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3 az (EES) support on Fast Ethernet and Gig Links; IPsec (standard; 802.11 a/b/g/n wireless networking (optional). Yes, via HP Jetdirect Ethernet embedded print server (standard) supp 802.3 az (EES) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard; 802.11 a/b/g/n wireless networking (optional). Yes, via HP Jetdirect 3100 Bise-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX, 1000Base-TX	in Technology, HP Auto-On/Auto-Off on Pocket, Intuitive 4.3" touchscreen control		
Standard connectivity 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0; Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX network; Hardware Integration Pocket 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0; Host; 1 Gigabit/Fast Ethernet 10/100/1000 Base-TX, etwork; Wireless 802.11b/g/n / 2.4 / 5 GHZ Wi-Fir adic; Hardware integration 1 000Base-T, 802.3ac (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional). Yes, via HP Jedirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-TX, 100Base-TX, 000Base-TX, 00	t for HP Universal Print Driver (Driver		
Standard connectivity Hardware Integration Pocket Wireless 802.11b/g/n / 2.4 / 5 GHZ Wi-Fir adic; Hardware Integration Network capabilities Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base–T, 100Base–T,			
Network capabilities 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual-band Wireless Station and Wi-Fi Direct 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11a/b/g/n wireless networking (standard) Wireless capability Optional, enabled with purchase of a wireless hardware accessory. Dual-band Wireless Station and Wi-Fi Direct Embedded Dual-band Station and Wi-Fi Direct Functionality Mobile printing capability4 HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing HP ePrint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing HP eprint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing HP eprint; Apple AirPrint™; NFC touch-to-print (optional); Mopria™ Certified; ROAM optional for easy printing Memory Standard; 1 GB; Maximum; 2 GB 1.2 GHz / Storage; 4 GB non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk / Hard disk: Opt	Pocket		
Winess capability functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A Endeaded balevalue and with HD intercent initiation with HD intercent initercent initiation with HD intercent initia			
Memory Standard: 1 GB; Maximum: 2 GB Processor speed 1.2 GHz / Storage: 4 GB non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk / Hard disk: Opt			
Processor speed 1.2 GHz / Storage: 4 GB non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk / Hard disk: Opt	rtified; ROAM capable for easy printing; Wi-Fi®		
Duty cycle (monthly) Letter: Up to 80,000 pages; A4: Up to 80,000 pages; Recommended monthly page volume: 2000 to 10,000	1.2 GHz / Storage: 4 GB non-volatile storage; Firmware encryption (AES 128 or AES 256) of customer/job data; Secure Cryptographic Erase – Job Data; Secure Erase – Disk / Hard disk: Optional, 500 GB (with accessory BSL29A)		
	Letter: Up to 80,000 pages; A4: Up to 80,000 pages; Recommended monthly page volume: 2000 to 10,000		
Paper handling			
Input 100-sheet multipurpose tray, 550-sheet input tray 2 100-sheet multipurpose tray, 550-sheet input tray 2, 550-sheet med	dia input tray 3		
Output Standard: 250-sheet output bin; Up to 250 sheets Standard; Transparencies: Up to 100 sheets			
Duplex Options Automatic (standard)			
Ervelope feeder No			
Entradip record 100 Standard paper trays 2 2			
opaque film, user-defined			
Media weight Tray 1: 16 to 58 lb (plain); 28 to 58 lb (glossy); Tray 2: 16 to 58 lb (plain paper); 28 to 58 lb (glossy paper); Automati			
Media sizes Tray 1: Letter, Legal, Oficio, Executive, Statement, 4 x 6, 3 x 5, 5 x 7, 5 x 8, Postcard (JIS), Double Postcard (JIS), B x x 13, Envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.: 4 x 6, 5 x 7, 5 x 8, Double Postcard (JIS); Custom: 4 x 6, 3 x 5, 5 x 7, 5 x 8, Postcard (JIS), Double Postcard (JIS), B x 13, Envelope (commercial No. 9, No. 10, Monarch); Custom: 3 x 5 to 8.:	5 x 14 in; Tray 2: Letter, Executive, Statement		
Media Sizes Custom Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2: 4.0 x 5.85 to 8.5 x 11.69 in; Optional Trays 3+: 4.0 x 5.85 to 8.5 x 14 in			
Dimensions (w x d x h) 18 x 18.9 x 15 in; 458 x 479 x 380 mm; Maximum: 32.3 x 30.9 x 17.9 in; 820 x 785 x 455 mm 18 x 18.9 x 20.2 in; 458 x 479 x 513 mm; Maximum: 32.3 x 30.9 x 23	.1 in; 820 x 785 x 588 mm		
Weight 60.6 lb; 27.5 kg 73.6 lb; 33.4 kg			
W2120A HP 212A Black Original LaserJet Toner Cartridge (~5,500 pages); W2121A HP 212A Cyan Original LaserJet Toner Cartridge (~4,500 pages); W2123A HP 212A Magenta Original La	Printer; Four preinstalled HP LaserJet toner cartridges (yield ~5,500 pages black, ~3,500 pages cyan, magenta, yellow composite); Toner collection unit; In-box documentation; Power Cord W2120A HP 212A Black Original LaserJet Toner Cartridge (~5,500 pages); W2121A HP 212A (yan Original LaserJet Toner Cartridge (~4,500 pages); W2123A HP 212A Magenta Original LaserJet Toner Cartridge (~4,500 pages); W212A HP 212A HD 212A Vield W0 friginal LaserJet Toner (artridge (~4,500 pages); W2120A HP 212A HD 212A Vield W0 friginal LaserJet Toner (artridge (~4,500 pages); W2120A HP 212A HD 2		
Warranty features One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP av your region.			
Energy star certified Ves			
Energy efficiency compliance ¹ Blue Angel; CECP; ENERGY STAR® qualified; EPEAT® Silver			
Control panel 4.3-in touchscreen with color graphics			
Construction Construction Display 4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)			
Software included No software solutions are included in the Box, only on http://hp.com, http://h	terre 1100 device 10 de la Construction de la Constru		
Fonts and typefaces 105 Internal TrueType fonts scalable in HP PCL, 92 Internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 Internal Unicode Fonts (Andale Mono WorldType); 2 In Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/Laserjetfonts			
Compatible operating systems go to http://support.hp.com. Enter your product name and search, Click on User Guides and enter your product name and search for User Guides and enter your product name and search for User Guides and enter your product name and search for User Guides for the Supported Operating Systems go to http://support.hp.com, Enter your (Product Name) – User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers -, For more information on the support operating Systems section -, PD PCL6 / PS Printer Drivers -, For more information on the support operating Systems section -, PD PCL6 / PS Printer Drivers -, For more information -, For more infor	Windows Client OS (B2/G6 bit)-, Win 10, Win 21, Win 71 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® macOS Adjave 10.13, Apple® macOS Adjave 10.14, Apple® macOS Catalina v10.15, Discrete PCLG Printer Drivery-, For more information on the supported operating systems go to http://upuport.hc.orw. Enter your product mame and search, Click on User Guides and enter your product mame and search for User Guide, Search for your (Product Mame) - Guides and enter your product name and search for User Guide, Search for your (Product Mame) - Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported Operating Systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers-, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, For more information on the supported operating systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating Systems section, UPD PCL6 / PS Printer		
Compatible network operating systems operating systems operating systems operating systems operating systems end search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported operating systems go to http://support.hp.com/pol.univ.modelscripts. Linux-For more information on the supported operating systems go to http://support.hp.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.univ.form.com/pol.uni	Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Windows Server 2019 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2019 R2 64-bit,		
Minimum system PC:2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; requirements Mac 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com	Mac: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com		
Power ³ Power supply type: Built-in 115V or 220V Power Supply: Power supply required: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz, Not dual voltage, product vari identifier); Power consumption: 622 watts (Paring), 31.3 watts (Ready), 2.4 watts (Sleep), 0.06 watts (Auto-Off/Manual On), 0.69 watts (Auto-Off/Auto-On/Wake on LAN); Typical electricit kWh/Week (Blue Angel); 0.464 kWh/Week (Energy Star 3.0)	Power supply type: Built-in 115V or 220V Power Supply: Power supply required: Input voltage: 100 to 127 VAC, 60 Hz, Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with # Option code identifier); Power consumption: 622 watts (Printing), 3.1 watts (Ready), 2.4 watts (Sleep), 0.06 watts (Auto-Off/Manual On), 0.69 watts (Auto-Off/Auto-On/Wake on LAN); Typical electricity consumption (TEC) number: 1.368 KWN/Week (Blue Anael); 0.464 KWN/Week (Energy Star 3.0)		
Acoustics Acoustic power emissions: 6.3 B(A) (Printing at 38 ppm)			
	Operating temperature range: 50 to 91%; Recommended operating temperature: 59 to 80.6%; Storage temperature range: -4 to 104%; Operating humidity range: 10 to 80% RH; Recommended operating humidity range: 30 to		
Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IP and Kerberos authentication; Supports WIA-10 IPsec configuration PUez; R02.1X authentication (EAP-PEAP: EAP-TLS); SMPV3; HTTPS; Certificates; Access Control List; Data: Storage E 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware Integration Pocket with Red Balloon Security Technology (Constant in-device monitoring for attacks); HP Sure Start Secure Boot (BIOS Integrity; Checking with self-healing capability); Whitelisting (loads only	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WJA-10 IPsec configuration PUI-grins; Reserved Cerebra; PLAP: LAP-TLS); SMMP/2; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encryptied PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Frase; SSLTLS (HTTPS); Encrypted Credentials; Device: Security lock Sol; USB port disablement; Hardware Integration Pocket for security solutions; Intrusion Detectors exeruity solutions; e.g.; badde control List; Device Security lock Sol; USB port disablement; Hardware Integration Pocket for security solutions; Intrusion Detectors; excurity solutions; e.g.; badde control List; Device Security lock Sol; USB port disablement; Hardware Integration Pocket for security solutions; e.g.; badde control List; Device Security Intrusion Detect for security solutions; e.g.; badde control List; Device Security Intrusion Detect for security solutions; e.g.; badde control List; Device Security Intrusion Detect for security solutions; e.g.; badde control List; Device Security Solution; e.g.; badde control List; Device Security Intrusion Detect for security Solution; e.g.; badde control List; Device Security Solut		

HP Color Laser let Enterprise M555

¹ EPEAT[®] registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
 ² Average black and color composite (C/M/Y) declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield. HP Color Laser Jet Enterprise
 ³ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
 ⁴ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth⁴ Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB.
 Subscription may be required. For more information, wish thttp://www.hp.com/go/toneryi.scut.eds
 ⁵ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Blue Angel value typically based on measurement of 230V device.
 ⁶ Measured using ISO/IEC 24734, recludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
 ⁷ Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

content.⁸ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

