



hp LaserJet 4200/4300 series printers

hp LaserJet 4200/4300 series printers

Exceed workgroup expectations with the HP LaserJet 4200 and HP LaserJet 4300 series' consistently high performance and print quality. Intelligent, versatile and reliable, these monochrome printers offer a wealth of features designed to make them easy to use and manage.



hp LaserJet 4200/n and **hp** LaserJet 4300/n



hp LaserJet 4200tn and **hp** LaserJet 4300tn



hp LaserJet 4200dtn and **hp** LaserJet 4300dtn



hp LaserJet 4200dtnsl and **hp** LaserJet 4300dtnsl

For business users in enterprise, large, medium and small organisations the HP LaserJet 4200 and HP LaserJet 4300 series offer reliable HP LaserJet performance, unrivalled versatility and an easy to use and manage solution which meets the high printing demands of workgroups of 5-15 users.

Set a new performance standard and achieve increased productivity within the workgroup.

- Save time and improve productivity with printing speed up to 33 ppm with the HP LaserJet 4200 series and up to 43 ppm with the HP LaserJet 4300 series.
- Print complex documents faster, with a quicker return to the application with fast processors and standard memory of 48 MB RAM for the HP LaserJet 4200 (64 MB on the n/tn/dtn/dtnsl models) and 64 MB for the HP LaserJet 4300 (80 MB on the n/tn/dtn/dtnsl models).
- No warm-up time with the instant-on fuser and a first page out in under 8.5 seconds.
- No performance compromise with high quality output of 1200 dpi at full speed.
- Simplify workflow with document management features like proof and hold, private printing and quick copy.

More versatile solutions you can tailor to your workgroup's document creation and management needs.

- Share fast, reliable printing and best-in-class security with HP Jetdirect EIO print server*.
- Enjoy flexible connectivity via HP's accessible architecture with EIO interface and many partner solutions for most network environments.
- Improve efficiency with a variety of paper handling solutions: increase the input capacity to 2,600 sheets with additional 1500-sheet tray; be more productive with duplex, envelope feeder, stacker and stapler/stacker accessories.
- Upgrade the memory easily to 416 MB.

Simple to use, easy to manage, the intelligent solution to a workgroup's complex printing demands.

- Effortless management with HP Web Jetadmin allows easy network installation, remote diagnostics and error correction.
- An Embedded Web Server (EWS) provides direct access to the printer via a standard web browser, and allows full control to remotely configure device settings and e-mail alerts.
- Monitor levels of consumables with HP's smart print supplies system.
- Superior output quality and consistent results with a 'no shake' high capacity smart print cartridge.

^{*}Optional with base model.

hp LaserJet 4200 series



hp LaserJet 4300 series



advanced performance for your workgroup

You need high performance printers you can count on, day after day. So HP has developed proven and reliable technologies to ensure outstanding and consistent print quality, the hallmark of every HP LaserJet monochrome printer. Supported by and compatible with the widest range of software applications and operating systems, the HP LaserJet 4200 and HP LaserJet 4300 series both deliver unrivalled performance. You know you will get quick return to application, fast first page out and fast ongoing print speed. You also get the flexibility to create high quality documents on a choice of media sizes and types, with a wide range of paper handling accessories. Both series are easily upgradeable, and can be expanded to let your workgroups share easily. See the difference in your workgroup's performance, whichever HP LaserJet printer you choose.

hp technologies lead the way

fast results with hp's instant-on fusing technology

Our unique instant-on fusing technology delivers an industry-leading first page out time of less than 8.5 seconds on an HP LaserJet 4200 or 4300 series printer, from cold or warm start. No warm-up time is needed, and the printer immediately returns to power-save mode without consuming energy, which saves you money. It also has a very low noise level, so you won't get disturbed by your printer.

great print quality with hp's smart print supplies

Smart features enhance print quality, facilitate cartridge installation and supplies management:

- dynamic electrophotographic adjustments and the "no-shake" feature ensure consistent print quality throughout the lifetime of the print cartridge
- supplies status monitoring and proactive e-mail alerts when supplies are low ensure maximum printer uptime and minimum user intervention
- print job assessment and cartridge usage data tracking enables better cost control

hp's all-in-one print cartridge

- the print cartridge is designed as a closed unit containing toner, the drum and the developer unit, so there is only one item to replace.
 When the print cartridge is exchanged, all components that are critical for the imaging process are also exchanged, ensuring optimum print quality over the life of the printer
- fitting an HP print cartridge is extremely simple and requires no technical expertise
- magnetic seals prevent toner leakage, keeping the printer and the paper clean

print cartridges with charge rollers for a safer environment

HP's charge roller technology uses a roller, which is in direct contact with the imaging drum, and no corona wire. The direct transmission of electrical charges to the drum generates virtually no ozone emissions. And no wire means no manual cleaning, saving you time and money.

meeting your workgroups' needs

easier management control

The HP LaserJet 4200 and 4300 series incorporates advanced hardware and software features to make device management scalable - from a critical single device to your complete network of connected peripherals.

- hp embedded web server (EWS) provides direct access to the hp LaserJet 4200 and 4300 series on the network and allows full control to remotely configure device settings and e-mail alerts, monitor status, and diagnose device problems
- hp web jetadmin enables remote driver installation, configuration, diagnostics, and proactive management for all your network peripherals from a common web browser
- device problems can be resolved quickly with direct access to targeted self-help information via the web

hp jetcaps solutions

HP's accessible architecture enables the creation, delivery and integration of a wide range of business printing solutions, developed by our global network of HP JetCAPs partners. Products can be mixed, matched and customised to give you the hardcopy solution you require.

Solutions include:

- e-forms and stationery
- corporate design
- barcodes and cheque printing (OCR and MICR)
- printing from SAP R/3 and ERP packages
- secure printing using smart cards
- host printing
- cost-controlled printing and copying
- print job accounting and special industry solutions

Additional information can be obtained at www.jetcaps.com



high performance printers





benefits of the hp LaserJet 4300 series

	hp LaserJet 4200 series	hp LaserJet 4300 series	benefits of the hp LaserJet 4300 series
workgroup size	5 – 10 users	5 – 15 users	built to meet the advanced performance demands of workgroups with high printing needs
speed, A4	up to 33 ppm	up to 43 ppm	improve your productivity with very fast printing speed, ideal for a large workgroup's high-volume network printing needs
processor speed	300 MHz	350 MHz	enjoy a quicker return to application with a powerful processor
memory	48 MB (64 MB in n/tn/dtn/dtnsl)	64 MB (80 MB in n/tn/dtn/dtnsl)	achieve a new higher performance standard and greater productivity with large in-built memory and faster printing of complex documents
monthly duty cycle	up to 150,000	up to 200,000	large duty cycle and highly reliable engine enable you to print large volumes every day
print cartridge capacity* * 5% coverage	up to 12,000 pages	up to 18,000 pages	print longer without intervention with hp ultraprecise high capacity print cartridge

hp LaserJet 4200/4300 series accessories



automatic duplex unit q2439a



500-sheet paper tray and feeder q2440a



75-sheet envelope feeder q2438a



q2442a



stapler/stacker q2443a



1500-sheet high capacity tray q2444a



printer stand and storage cabinet q2445a



hp LaserJet 4200/4300 printer with additional accessories

what's in the box

hp LaserJet 4200 printer: printer, right-angle power cord, control panel overlay, 12,000 pages smart print cartridge, software and documentation on CD-ROM, getting started guide

hp LaserJet 4200n printer: same as base plus hp jetdirect (EIO) 10/100Base-TX print server

hp LaserJet 4200tn printer: same as base plus hp jetdirect (EIO) 10/100Base-TX print server, additional 500-sheet feeder

hp LaserJet 4200dtn printer: same as base plus hp jetdirect (EIO) 10/100Base-TX print server, additional 500-sheet feeder, automatic duplex unit

hp LaserJet 4200dtnsl printer: same as base plus hp jetdirect (EIO) 10/100Base-TX print server, additional 500-sheet feeder, automatic duplex unit, stapler/stacker accessory (up to 15 pages stapler/up to 500-sheet stacker).

hp LaserJet 4300 series: same contents but with a hp LaserJet 4300 printer and a 18,000 page print cartridge

hp LaserJet 4200/4300 series printers





technical specifications

				o to 43 ppm. First page out: Less than 8.5 secs ware program, and document complexity.)	
processor speed		· •	LaserJet 4300 series: 35		
memory	HP LaserJet 4200 printer: 48 MB. HP LaserJet 4200n/tn/ HP LaserJet 4300 printer: 64 MB. HP LaserJet 4300n/tn/ Expandable to 416 MB through three industry-standard [nsl printer: 80 MB.	
print resolution	1200 x 1200 dpi,	HP Fastres; 1200 x	1200 dpi, HP Prores.		
printer languages	HP PCL 6, HP PCL 5	ie, and HP Postscrip	t 3 emulation, HP-GL/2,	automatic language switching.	
economical printing	fuser technology (sa	ives electricity), dup	600 dpi), return to powe lex and N-up printing (sc	rsave mode after print job due to instant-on ives paper).	
typefaces/fonts	80 built-in true type				
duty cycle (pages per month)	HP LaserJet 4200 se	eries: up to 150,000); HP LaserJet 4300 serie	es: up to 200,000.	
media handling/input	Tray 1	capacity* (sheets) 100	paper weight 60 to 200 g/m²	paper sizes and support Envelopes, labels, transparencies, special media, 76 x 127 mm to legal si	
	Tray 2/3	500	60 to 120 g/m²	A4, A5, letter, executive, B5, legal and custom sizes	
	High capacity tray	1,500	60 to 120 g/m²	A4, letter, legal	
	Duplex		60 to 120 g/m²	A4, A5 letter, legal, executive B5	
	Stacker accessory	up to 500	60 to 120 g/m²	A4, A5, letter, executive, B5, legal and custom sizes	
	Stapler/stacker	up to 500	60 to 120 g/m ²	A4, A5, letter, executive, B5,	
	accessory	(stacking) up to 15 (stapling)	$60 \text{ to } 120 \text{ g/m}^2$	legal and custom sizes A4, letter, legal	
paper handling/output	supports installing of 3) 1 x 1500-sheet t Base/n/tn/dtn mod	of optional 1) 1 x 50 ray or 4) 2 x 500-s lel: 300 sheets (250	00-sheet tray and 1 x 15		
duplex printing	Two sided printing of	capability: dtn/dtns	l model (standard).		
media types	Two sided printing capability: dtn/dtnsl model (standard). Paper (plain, letterhead, prepunched, bond, colour, preprinted, recycled), transparencies, label: card stock, user-defined.		recycled), transparencies, labels, envelopes		
interface and connectivity	Base model: IEEE 1284-compliant parallel interface port, 2 open EIO expansion slots for optional HP Jetdirect internal print servers for Ethernet 10Base-T, 10Base-Z, 100Base-TX, LocalTalk and Token Ring networks. n/tn/dtn/dtnsl model: IEEE 1284-compliant parallel interface port, HP Jetdirect 10/100Base-TX print server card, 1 open EIO slot				
	Microsoft® Windows® 95, 98, Me, NT 4.0, 2000, XP, Apple® Mac® OS 8.6 to 9.xx and 10.1 or greater, basic printing support for DOS, Win 3.1, OS2 (drivers not included, download http://www.hp.com/cposupport) and Linux (driver not included, download: http://www.linux.hp.com).				
compatible operating systems				ded, download	
compatible operating systems network operating systems compatibility	http://www.hp.com Supported: Microso	n/cposupport) and ft® Windows® 95, 9	Linux (driver not included	ded, download , download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager;	
network operating systems compatibility	http://www.hp.com Supported: Microso UNIX®; AppleTalk; L CD-ROM containing	n/cposupport) and ft® Windows® 95, 9 inux; HP-UX; LocalT g print drivers: HP P Web Jetadmin soft	Linux (driver not included 18, NT 4.0, 2000, XP; N alk via HP Jetdirect EIO p CL 6, HP PCL 5e, PS, PPC	ded, download , download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager;	
network operating systems compatibility	http://www.hp.com Supported: Microso UNIX®; AppleTalk; L CD-ROM containing software (link to HP a common web bro Intuitive operation a	n/cposupport) and ft® Windows® 95, 9 inux; HP-UX; LocalT g print drivers: HP Pe Web Jetadmin softwser). Ind easy to understo	Linux (driver not included 18, NT 4.0, 2000, XP; N alk via HP Jetdirect EIO p CL 6, HP PCL 5e, PS, PPC ware, for simple installati and messaging, expande	ded, download , download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager; orint servers. Os, Macintosh software; and installation	
network operating systems compatibility standard software control panel	http://www.hp.com Supported: Microso UNIX**, AppleTalk; I CD-ROM containing software (link to HP a common web bro Intuitive operation a resolution, 4 x 20 g	n/cposupport) and ft® Windows® 95, 9 inux; HP-UX; LocalT g print drivers: HP Pi Web Jetadmin softwer). Ind easy to understore praphical display wi	Linux (driver not included 18, NT 4.0, 2000, XP; N alk via HP Jetdirect EIO p CL 6, HP PCL 5e, PS, PPE ware, for simple installati and messaging, expande th help features. Messagi	ded, download , download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager; orint servers. Ds, Macintosh software; and installation on, configuration and management from d control panel for context-based problem	
network operating systems compatibility standard software control panel power consumption	http://www.hp.com Supported: Microso UNIX*, AppleTalk; I CD-ROM containing software (link to HP a common web bro Intuitive operation a resolution, 4 x 20 g 685 watts maximum	n/cposupport) and ff* Windows* 95, 9 inux; HP-UX; LocalT g print drivers: HP Pi Web Jetadmin soft- wser). Ind easy to understa raphical display wi n (printing), 27 watt x 439 x 366 mm,	Linux (driver not included 18, NT 4.0, 2000, XP; N alk via HP Jetdirect EIO pCL 6, HP PCL 5e, PS, PPE ware, for simple installation messaging, expande the help features. Messaging s maximum (standby most standby most processed in the processed	ded, download, download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager; vinit servers. 25, Macintosh software; and installation on, configuration and management from d control panel for context-based problem as can be displayed in 20 languages.	
network operating systems compatibility standard software control panel power consumption dimensions (w x d x h)	http://www.hp.com Supported: Microso UNIX*, AppleTalk; I CD-ROM containing software (link to HP a common web bro Intuitive operation a resolution, 4 x 20 g 685 watts maximum Base/n model: 412 dtnsl model: 412 x	n/cposupport) and fif* Windows* 95, 9 ; inux; HP-UX; LocalT ig print drivers: HP Pi Web Jetadmin softwaser). Ind easy to understic graphical display with a (printing), 27 watth in (printing), 27 watth in 439 x 366 mm, 520 x 740 mm.	Linux (driver not included 18, NT 4.0, 2000, XP; N alk via HP Jetdirect EIO pCL 6, HP PCL 5e, PS, PPE ware, for simple installation messaging, expande the help features. Messaging s maximum (standby most standby most processed in the processed	ded, download, download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager; orint servers. Ds, Macintosh software; and installation on, configuration and management from d control panel for context-based problem as can be displayed in 20 languages. Dely, 25 watts maximum (Powersave). Bell mm, dtn model: 412 x 520 x 488 mm,	
network operating systems compatibility standard software control panel power consumption dimensions (w x d x h) weight	http://www.hp.com Supported: Microso UNIX®, AppleTalk; I CD-ROM containing software (link to HP a common web bro Intuitive operation a resolution, 4 x 20 g 685 watts maximum Base/n model: 412 x Base/n model: 20 l	n/cposupport) and ff* Windows* 95, 9 inux; HP-UX; Localy g print drivers: HP P Web Jetadmin soft- wser). Ind easy to underst graphical display wi n (printing), 27 watt 1 x 439 x 366 mm, 520 x 740 mm. (g; th model: 27 kg.	Linux (driver not included 18, NT 4.0, 2000, XP; N alk via HP Jetdirect EIO ; CL 6, HP PCL 5e, PS, PPC ware, for simple installational massaging, expandeth help features. Messaging s maximum (standby most m model: 412 x 439 x 44 for the standard of the model of the standard of the model of the standard of the standar	ded, download, download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager; orint servers. sp., Macintosh software; and installation on, configuration and management from d control panel for context-based problem as can be displayed in 20 languages. de), 25 watts maximum (Powersave). 88 mm, dtn model: 412 x 520 x 488 mm, model: 34 kg.	
	http://www.hp.com Supported: Microso UNIX®; AppleTalk; I CD-ROM containing software (link to HP a common web bro Intuitive operation a resolution, 4 x 20 g 685 watts maximum Base/n model: 412 dhsl model: 412 x Base/n model: 20 l HP Web Jetadmin, Recommended oper 10 to 32°C. Noise HP LaserJet 4300 sp sound pressure: LpA	n/cposupport) and ff* Windows* 95, 9 cinux; HP-UX; LocalT in print drivers: HP Pi Web Jetadmin soft wser). Indicate the design of the design	Linux (driver not included 18, NT 4.0, 2000, XP; N alk via HP Jetdirect EIO ; CL 6, HP PCL 5e, PS, PPC ware, for simple installati and messaging, expande the help features. Messaging se maximum (standby more than model: 412 x 439 x 4 ; dtn model: 30 kg; dtnsl tP Embedded Web Serveto 80% RH non-condens: sound power: LwAd: HP ingl, HP LaserJet 4200/4	ded, download , download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager; print servers. Ds. Macintosh software; and installation on, configuration and management from d control panel for context-based problem es can be displayed in 20 languages. Del., 25 watts maximum (Powersave). Ba mm, dtn model: 412 x 520 x 488 mm, model: 34 kg. Ber. Ber. Ber. Ber. Ber. Ber. Ber. Ber	
network operating systems compatibility standard software control panel power consumption dimensions (w x d x h) weight printer management	http://www.hp.com Supported: Microso UNIX®; AppleTalk; I. CD-ROM containing software (link to HP a common web bro Intuitive operation a resolution, 4 x 20 g 685 watts maximum Base/n model: 412 dtnsl model: 412 x Base/n model: 20 I. HP Web Jetadmin, I. Recommended oper 10 to 32°C. Noise HP LaserJet 4300 se sound pressure: LpA (printing), HP LaserJ IEC 60950 (Internat GB4943, CISPR 22 EN 55024, FCC Titl EMC Directive 89/2 Part 15 of the FCC IEC 60825-1+A1, E Laser statement (Finl	n/cposupport) and fift Windows® 95, 95, 10 inux; HPUX; LocalT is print drivers: HP Pi Web Jetadmin softweet). Web Jetadmin softweet is prophical display with prophical prophical display with prophical disp	Linux (driver not included 18, NT 4.0, 2000, NP; N all k via HP Jetdirect EIO r. CL 6, HP PCL 5e, PS, PPC ware, for simple installation of the help features. Messaging maximum (standby more than model: 412 x 439 x 4 gradients; driver and the help features. Messaging maximum (standby more than model: 412 x 439 x 4 gradients; driver and the help features. Messaging HP Embedded Web Server to 80% RH non-condensis asound power: LwAd: HP ingly, HP LaserJet 4200/4 (Do series: 54 dB(A) (printipes: 27 dB(A) (Powersave) International), IEC 6082: 2022:1994+A1+A2 Class B, ICES-003, Issue age Directive 73/23/EEC floory Standards: IEC 609 Class 1 Laser/LED Produc R.	ded, download , download: http://www.linux.hp.com). etWare; IBM OS/2 Warp; LAN manager; print servers. Ds, Macintosh software; and installation on, configuration and management from d control panel for context-based problem es can be displayed in 20 languages. Del, 25 watts maximum (Powersave). B8 mm, dtn model: 412 x 520 x 488 mm model: 34 kg. Ber. Ber.	

^{*}Depending on media type and weight.

http://www.hp.com

http://www.hp.com/support/lj4200 http://www.hp.com/support/lj4300

For more information, please call your local HP sales office or representative: Austria: 0810/006080 (local rate call), Algeria: (0)61 56 45 43, Bahrain: 800 728, Belgium: (02) 778 34 00, Luxembourg: (+352) 263 160 34, Bulgaria: (+359) 2960 1940, Croatia and Slovenia: (+385 1) 60 60 200, Czech Republic: (00 420 2) 613 07 111(Prague), Denmark: 45991700 or 70101125, Egypt: 532 5222, Estonia: (+372) 6505 263, Finland: (09) 88721, France: (1) 69 82 6060, Germany: 0180 532 6222 (12 Cent/min), Greece: (01) 678 96 00, Hungary: (+36) 1 3821111, Iceland: (354) 570 1000, Ireland: 4353 1 6158200, Israel: (972) 9 8304848, Italy: (02) 92121, Kazakhstan: +7 (3272) 980 824, Latvia: (371) 800 80 12, Lithuania: (370) 2 787 333, Middle East: 00971 4 883 44427, Morocco (African Region): +212 22 40 47 47, Netherlands: (020) 5476666, Norway: 22 735600, Poland: infolinia 0-801 607 607 (0,29 zl + VAT/min), Portugal: (808) 206 001, Romania: (+401) 205 3300, RSA: (27)11 785 1000, Russia: +7 (095) 797 35 00, Saudi Arabia: 800 124 4646, Slovakia: +421-250205611, Spain: (91) 6311600, Sweden: (08) 444 2000, Switzerland: 0848 88 44 66, Tunisia: 71 891 222, Turkey: +90 (216) 579 71 71, UAE: 8004910, UK: 08705 474747, Ukraine: +380 44 490 61 20, Yugoslavia: +381 11 322 80 14.

ordering information

	L. I I 4000
-2425	hp LaserJet 4200 series
q2425a q2426a	hp LaserJet 4200 printer hp LaserJet 4200n printer
q2428a	hp LaserJet 4200th printer
q2428a	hp LaserJet 4200dtn printer
q2447a	hp LaserJet 4200dtnsl printer
q1338a	
4	hp smart print cartridge (12,000 pages)
q2429a	maintenance kit 110v
	(200,000 pages)
q2430a	maintenance kit 220v (200,000 pages)
	hp LaserJet 4300 series
q2431a	hp LaserJet 4300 printer
q2432a	hp LaserJet 4300n printer
q2433a	hp LaserJet 4300tn printer
q2434a	hp LaserJet 4300dtn printer
q2448a q1339a	hp LaserJet 4300dtnsl printer hp smart print cartridge
q1337u	(18,000 pages)
q2436a	maintenance kit 110v
<u> </u>	(200,000 pages)
q2437a	maintenance kit 220v
	(200,000 pages)
	paper handling accessories
q2438A	75-sheet envelope feeder
q2439a	automatic duplex unit
q2440a	500-sheet paper feeder and tray
q2442a	stacker accessory
q2443a	stapler/stacker accessory
q3216a	stapler cartridge (3 cartridges x
~2444~	1000 units)
q2444a q2445a	1500-sheet high capacity tray printer stand and storage cabinet
q2443a	printer starta and storage cabiner
	memory
c7842a	8 MB SDRAM DIMM
c7843a	16 MB SDRAM DIMM
c7845a	
	32 MB SDRAM DIMM
c9680a	64 MB SDRAM DIMM
c9680a c9121a	64 MB SDRAM DIMM 128 MB SDRAM DIMM
c9121a c4286a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM
c9121a c4286a c4287a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM
c9121a c4286a c4287a c8530a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM
c9121a c4286a c4287a c8530a c7867a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM
c9121a c4286a c4287a c8530a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM
c9121a c4286a c4287a c8530a c7867a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM
c9121a c4286a c4287a c8530a c7867a j6054b	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp EIO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet
c9121a c4286a c4287a c8530a c7867a j6054b	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM bp EIO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 515n Fast Ethernet (10/100Base-TX single R)-45 port)
c9121a c4286a c4287a c8530a c7867a j6054b	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp EIO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single R1-45 port) (included with network bundles)
c9121a c4286a c4287a c8530a c7867a j6054b j6057a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp EIO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single R)-45 port) (included with network bundles) hp jetdirect 610n Token Ring
c9121a c4286a c4287a c8530a c7867a j6054b	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM p ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T)
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM bp EIO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single R1-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM by ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RI-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (108ase-T) hp jetdirect 600n Ethernet 108ase-T, 108ase2) and LocalTalk
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM by ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base-2) and LocalTalk hp jetdirect 680n wireless
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM by ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RI-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (108ase-T) hp jetdirect 600n Ethernet 108ase-T, 108ase2) and LocalTalk
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a j6058a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM by ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base-Z) and LocalTalk hp jetdirect 680n wireless print server connectivity solutions
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base2) and Localifalk hp jetdirect 680n wireless print server connectivity solutions hp ietdirect connectivity card for
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a j6058a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM by ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base-Z) and LocalTalk hp jetdirect 680n wireless print server connectivity solutions
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a j6058a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base2) and Localifalk hp jetdirect 680n wireless print server connectivity solutions hp ietdirect connectivity card for
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a j6058a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base2) and LocalTalk hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3110a j3111a j6058a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base2) and LocalTalk hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a j6058a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 8 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base2) and LocalTalk hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3110a j3111a j6058a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 4 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp EIO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/10/Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10/Base-T) hp jetdirect 600n Ethernet 10/Base-T, 10/Base-T) hp jetdirect 600n Ethernet value of the print server connectivity solutions hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series e next business day on-site response, 3 years e on-site response within 4 hours
c9121a c4286a c4287a c8530a c7867a j6057a j4167a j3111a j6058a j4135a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 4 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/10/Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10/Base-T) hp jetdirect 600n Ethernet 10/Base-T) hp jetdirect 600n Ethernet 10/Base-T) hp jetdirect 600n Ethernet 10/Base-T) hp jetdirect 600n Ethernet 10/Base-T, 10/Base-T) hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series e next business day on-site response, 3 years e on-site response within 4 hours of call, 3 years
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3110a j3111a j6058a j4135a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 4 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk > 10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RJ-45 port) (included with network bundles) hp jetdirect 610n Token Ring hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base2) and LocalTalk hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series e next business day on-site response, 3 years e on-site response within 4 hours of call, 3 years hp LaserJet 4300 series
c9121a c4286a c4287a c8530a c7867a j6057a j4167a j3111a j6058a j4135a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 4 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/10Base-TX single R1-45 port) (included with network bundles) hp jetdirect 60n Ethernet (10Base-T) hp jetdirect 60n Ethernet (10Base-T) hp jetdirect 680n wireless print server connectivity solutions hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series e next business day on-site e next business day on-site e next business day on-site
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3111a j6058a j4135a h5479a/s	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 4 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp EIO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/100Base-TX single RI-45 port) (included with network bundles) hp jetdirect 60n Ethernet (10Base-T) hp jetdirect 60n Ethernet 10Base-T, 10Base-T) and LocalTalk hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series e next business day on-site response, 3 years hp LaserJet 4300 series e next business day on-site
c9121a c4286a c4287a c8530a c7867a j6054b j6057a j4167a j3110a j3111a j6058a j4135a	64 MB SDRAM DIMM 128 MB SDRAM DIMM 2 MB Flash DIMM 4 MB Flash DIMM 4 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM 12 MB Flash DIMM hp ElO hard disk >10 GB hp jetdirect internal print servers hp jetdirect 615n Fast Ethernet (10/10Base-TX single RI-45 port) (included with network bundles) hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet (10Base-T) hp jetdirect 600n Ethernet 10Base-T, 10Base-2) and LocalTalk hp jetdirect 680n wireless print server connectivity solutions hp jetdirect connectivity card for USB, Serial, and LocalTalk service and support hp LaserJet 4200 series next business day on-site response, 3 years hp LaserJet 4300 series e next business day on-site response, 3 years e next business day on-site

The information contained in this document is subject to change without notice. ENERGY STAR is a U.S. registered mark of the United States Environmental Protection Agency. All other products mentioned herein may be trademarks of their respective companies.

Microsoft, Windows and MS Windows are U.S. registered trademarks of Microsoft Corporation.

© Copyright Hewlett-Packard 2002 Printed in the EU 10/02 5981-297 IEEE